



JCricket manual

Introduction	3
JCricket: functions and use	3
Recipients	3
Document structure	3
Function 1: Search	4
1.1. Simple search	4
1.2. Advanced search	11
1.3. Search for Authenticated Users	19
Function 2: Login	24
2.1. Users and permissions	24
2.1.1 Basic users	24
2.1.2. Advanced users	24
2.2. Access to JCricket	24
Introduction to the edit function: the concepts of Provenance and IsLeader	32
A - The concept of Provenance	32
B - IsLeader value: definition	32
B1 - IsLeader for single-value attributes	33
B2 - IsLeader for multi-value attributes	33
Function 3: Edit	34
3.1. Edit Actions	34
3.1.1. Editing of string-like attributes	48
3.1.2. Editing attributes derived from controlled vocabularies	55
3.1.3. Editing relationships between entities	60
3.1.4. Adding properties	72
3.2. Notification of ongoing editing	77
Function 4: Creation	79
4.1. Entity creation	79
4.1.1. Creation of Agent-svde:Opus entities	92
4.1.2. Creating svde:Opus-svde:Work entities	93
4.1.3. Creating svde:Work-Instance entities	94
4.1.4. Creation of Instance-Item entities	95
4.2. Creating terms from controlled vocabularies	95
4.3 Provision Activity Management	113
Function 5: Delete	153
Function 6: Merge	157



6.1. The role of Merge lists	158
6.2. The role of the reviewer	158
6.3. Workflow for the Merge action	158
6.3.A. From the creation of the Merge list to the assignment of the reviewer	158
6.3.B. Reviewer actions	186
Function 7: Split	193
Appendix 1: Attribute list	194

Introduction

This manual aims to provide a quick and easy guide for authorized operators on the use of the JCricket tool.

For a general-purpose overview, see the wiki resource [JCricket - LOD Platform Entity Editor](https://wiki.share-family.org/JCricket-LOD-Platform-Entity-Editor).

JCricket: functions and use

JCricket is the tool for collaborative linked data entity management and shared cataloguing. It enables - according to the BIBFRAME ontology - the entity curation (e.g. creation of new entities, entity modification, the application of entity merge and split functions). The scope is to improve the quality of the Entity Knowledge Base that is a live source produced through clustering and daily update processes. JCricket is a manual application that makes it possible to manage bibliography data in the form of entities. It empowers professional librarians to enhance the quality of machine-generated data output of MARC to BIBFRAME transformation.

Recipients

Catalogers and metadata experts belonging to libraries participating in Share Family projects.

Document structure

The sections of the document mirror all the operational functions provided by JCricket to interact with the EKB (Entity Knowledge Base) of Share Family projects.

Specifically, the document includes sections dedicated to:

- Search function
- Login function
- Edit function
- Create function
- Delete function
- Merge function
- Split function (The split function is temporarily unavailable for users as it requires further development)

Additionally, there is a section dedicated to explaining some fundamental concepts for operating within the EKB through JCricket, namely the concepts of Provenance and IsLeader.

Function 1: Search

The search function is aimed at finding entities within the portals of the Share Family.

All Share Family portals have two search modes:

- Simple search
- Advanced search

The page displayed by default by the system as the portal homepage is the one related to **Simple search**.

The search functions and methods differ between users enabled to use JCricket and those who are not. The use of the JCricket entity editor provides more targeted search methods for certain types of entities, which are not available to unauthenticated users.


The searchable entities, through simple and/or advanced search, are:

1. **People/organizations:** this category includes all individuals, families, organizations, and conferences that have a role of responsibility for an Original Work or a Publication, or that are subjects of an Original Work or a Publication.
2. **Original Works:** the Original Work entity is an extension of the SVDE ontology, as it is not present in the BIBFRAME model. In BIBFRAME, the Work entity represents the intellectual content of a resource, indicating the creative work of the author, which can be expressed in various ways. Essentially, for BIBFRAME Works, it is not possible to distinguish an original work from its translation: often, in cases of Works with very complex editorial histories, it is often unclear if a translated work was produced from the original or another translation. To address this, the Sapiientia Entity Identification Working Group (SEI) introduced the entity `svde:Opus`¹ (= Original Work). This new entity gathers all related expressions under a single apex element, filling the gap in the BIBFRAME model.
3. **Publications:** the various material and linguistic forms in which an Original Work is realized. At a 'logical' level, meaning in terms of visualization only, the Publication includes the levels of `svde:Work` (= Expression) and Instance (= Manifestation). For users enabled to use JCricket, in addition to searching for Publication, it is also possible to perform targeted searches on the `svde:Work` entity.

1.1. Simple search

The homepages of all Share Family portals feature a simple search interface, enabling comprehensive searches across all entities within the queried portal.

¹ For more information about the Share-VDE ontology as an extension of BIBFRAME, please visit <https://zenodo.org/doi/10.5281/zenodo.8332350>.



ShareVDE BETA

Search for people, original works and publications


e.g. *Jules Verne* or *Around the world in 80 days*

Advanced search

Explore Share-VDE member libraries' linked open data entities created in BIBFRAME

[Learn more](#) [Options](#) [Switch site](#)

The simple search interface can be customized as needed. For example, in the NatBib portal, users can search within specific tabs for the three categories of entities and apply filters before conducting the search.



National Bibliographies BETA

Search national bibliographies for

Publications Original works People and organizations

Language Year Type


Advanced search

To initiate the search, users need to enter one or more terms into the designated 'Google-like' box and either click the magnifying glass icon to the right of the box or alternatively or press 'Enter' on the keyboard.

The search is performed by keyword across the entire dataset associated with searchable entities (People and Organizations, Original Works, Publications). When multiple terms are entered, the search uses the boolean operator 'OR' by default .

Usually the search results are organized into three separate tabs, each displaying numerical counters:


- **All results:** comprehensive list including all entities that match the search criteria, regardless of their type;
- **People and organizations:** list including entities matching the search criteria for the People/Organizations type;
- **Original works:** list including entities matching the search criteria for the Original Works type.



The screenshot shows a search interface with a search bar containing 'Jules Verne'. Below the search bar, there are three tabs: 'All results (1.8K)', 'People and organizations (229)', and 'Original works (1.6K)'. The 'All results' tab is selected. Below the tabs, it says '1,840 results found'. The results are listed as follows:


- Person**
Verne, Jules
French writer (1828–1905). Born in Nantes (France). Died in Amiens (France).
- Original work**
Jules Verne
Biography written by [Vierne, Simone](#).
- Original work**
Jules Verne
Biography written by [Jules-Verne, Jean](#).
- Person**
Jules-Verne, Jean
Juiz- filho de Michel Verne. Born in 1892. Died in 1980.

The lists related to **People and organizations** and **Original Works** are also equipped with filters that allow for further refinement of results. Additionally, there's a dedicated sorting function to facilitate better organization of the displayed entities.




The screenshot shows the Share Family search interface. At the top, there is a search bar with 'Jules Verne' entered. Below the search bar, there are three tabs: 'All results (1.8K)', 'People and organizations (229)', and 'Original works (1.6K)'. The 'People and organizations' tab is selected. Below the tabs, there are filters for 'Start year', 'End year', 'Location', and 'Type', along with a 'Sort by: Relevance' dropdown. A modal window is open over the 'Location' filter, showing a list of locations with their respective counts: Nantes (France) (3), Paris (France) (3), Amiens (France) (2), Helsinki, Suomi (1), Hämeenlinna, Suomi (1), Kuopio, Suomi (1), and Clear. A 'Done' button is at the bottom right of the modal. The main results list shows three items: 'Verne, Jules' (French writer, 1828-1905), 'Jules-Verne, Jean' (Juiz- filho de Michel Verne), and 'Presses du "Centre d'études m' (Organization).

The results list and its filters can also be customized and adapted. For example, on the NatBib portal, the results lists and their filters corresponding to the initial search interface.




The screenshot shows the National Bibliographies search interface. At the top, there is a search bar with 'jules verne' entered. Below the search bar, there are three tabs: 'Publications (485)', 'People and organizations (30)', and 'Original works (182)'. The 'Publications' tab is selected. Below the tabs, there are filters for 'Language', 'Year', 'Type', 'Format', and 'Contributor', along with a 'Sort by: Relevance' dropdown. The main results list shows three items: 'Jules Verne' (Volume, Published in English in 1954 by Staples P.), 'Jules Verne' (Volume, Published in English in 1961 by Dobson), and 'Jules Verne's Lighthouse' (Volume, To be published in English in Berkeley by Image Comics).

On the basis of the chosen customization, there isn't a dedicated results list for Publications². However, a specific suggestion box becomes enabled when a Publication adhering to the search criteria is retrieved.



From the results list, users can view the details of a specific entity by selecting the name or title of one of the suggested results.



This feature enables users to view the information related to a specific entity.

² This feature is only available on the National Bibliographies portal <https://www.natbib-lod.org/>.



Person 1

Verne, Jules

French writer (1828–1905). Born in Nantes (France). Died in Amiens (France).

Jules Gabriel Verne was a French novelist, poet, and playwright. His collaboration with the publisher Pierre-Jules Hetzel led to the creation of the *Voyages extraordinaires*, a series of bestselling adventure novels including *Journey to the Center of the Earth* (1864), *Twenty Thousand Leagues Under the Seas* (1870), and *Around the World in Eighty Days* (1872). His novels, always well documented, are generally set in the second half of the 19th century, taking into account the technological advances of the time. – [Wikipedia](#)

More options ▾

[Wikimedia Commons](#)

Original works by Publications by Original works about

Filter original works...

686 results

No.	Title	Year	Genre	Creators
1	Cesai Casault		Fiction	Verne, Jules (author)
2	Maison à vapeur. Part 2		Novel	Verne, Jules (author) Evans, I. O. (editor) Miller, Ron (illustrator) Podwil, Jerome (illustrator)

Users can start a new simple search from various points:

- From the **results page**, by entering new criteria in the search bar.


ShareVDE BETA

Press enter to search

All results (1.8K) **People and organizations (229)** Original works (1.6K)

Sort by: Relevance ▾

229 results

Person

Verne, Jules
French writer (1828–1905). Born in Nantes (France). Died in Amiens (France).


Person

Jules-Verne, Jean
Juiz- filho de Michel Verne. Born in 1892. Died in 1980.


Organization

Presses du "Centre d'études médiévales", Université de Picardie Jules Verne


- From the **portal's homepage**, accessible by clicking on the logo located at the top left.



- From the **detail page of an entity**, which offers a dual mode:
 - Returning to the results list by selecting the menu at the top of the page.



- Entering a new search string into the search box at the top right of the page.



← Jules Verne search Search all content... Options

Person

Verne, Jules


French writer (1828–1905). Born in Nantes (France). Died in Amiens (France).

Jules Gabriel Verne was a French novelist, poet, and playwright. His collaboration with the publisher Pierre-Jules Hetzel led to the creation of the Voyages extraordinaires, a series of bestselling adventure novels including Journey to the Center of the Earth (1864), Twenty Thousand Leagues Under the Seas (1870), and Around the World in Eighty Days (1872). His novels, always well documented, are generally set in the second half of the 19th century, taking into account the technological advances of the time. – Wikipedia

1.2. Advanced search

The advanced search form can be accessed from multiple points:

- **From the homepage**, by selecting the link below the search box.




Search for people, original works and publications

e.g. *Jules Verne* or *Around the world in 80 days*

Advanced search


- **From the results lists**, by selecting the function located at the top right of the page.



The advanced search page features an interface with various fields and indexes for setting the search criteria. Users can specifically set the advanced search for a single entity type, including:

- **People and organizations**, with sub-categories:
 - Person
 - Family
 - Organization
 - Conference
- **Original Works** or **Publications**, can be searched collectively or individually, allowing users to conduct a common search for both categories or a targeted search for one of the two entities.

At the time of opening the page, the search is set by default to the Publication entity.



ShareVDE BETA

Options

Search for a publication for which

Simple search

Search for...

- ☒ Agent of any type
 - ☐ Person (e.g. Jules Verne or Marina Abramovic)
 - ☐ Family (e.g. Smith family or Benson family)
 - ☐ Organization (e.g. CERN or Penguin Books)
 - ☐ Conference (e.g. AIAA Thermophysics Conference)
- ☐ Original work or publication
 - ☐ Original work (e.g. Around the world in 80 days)
 - ☒ Publication (e.g. Around the world in 80 days, 3rd edition, 1906)

and


Search

a search term to see results.

Searching for [people called Maria born in the 1950s](#)

When choosing a specific entity, the searchable fields are adjusted accordingly. Users can enter the following types of values for their search:

- **text values:** text strings, which can be searched for exact or partial matches.



ShareVDE BETA

Options

Search for a publication for which

Simple search

title

contains the words

contains the words

does not contain the words

exactly matches

does not match

begins with

does not begin with

is unknown


Harry Potter

and


Clear all

Search

- **values from controlled vocabularies:** values from the controlled vocabularies of the Entity Knowledge Base, accessible within the field through a dropdown menu.




- **dates:** start/end date range.



The search fields can be:

- **added**, using the + symbol to the right of each field.
- **removed**, using the *trash can* symbol to the right of each field (the symbol is activated only when there is more than one searchable field).

When multiple fields are used in the search, users can also choose the boolean operators **AND** and **OR**.




To initiate the search, the user must enter one or more terms into the chosen fields and select the blue **Search** button, or alternatively, press Enter on the keyboard.

The search is conducted on the selected entity and the specific fields chosen. When multiple terms are present, the search is set on the entire string and not on individual terms, unlike a simple search.

The results are organized into:

- A **single list** if the search is set for a single entity or for all **People**. In the latter case, the entity type is indicated by the **Type** attribute shown in association with each result.



No.	Name	Type	Start year	End year	Location	
1	Manzoni	Organization				
2	Manzoni, Tullio	Person				
3	Manzoni, Francesca	Person				
4	Manzoni, Paolo	Person	1948			
5	Manzoni, Domenico	Person	1540			
6	Manzoni, Claudio	Person	1940			
7	Manzoni, Giuseppe	Person	1921	1994		
8	Manzoni, Giovanni	Person	1921			
9	Manzoni, Cesare	Person				
10	Manzoni, Ugo	Person				

- **Two separate lists** if the search is set for both the Original Work and Publication entities.

Original work results					
Publication results					
Filter original works... Q Year Genre Creator					
16 results					
No.	Title	Year	Genre	Creators	
1	Harry Potter and the chamber of secrets		Motion picture music	Williams, John (author)	
2	Harry Potter and the Chamber of Secrets		Fiction	Klar, Elizabeth (author) Klar-Trim, Cheryl (other)	
3	Harry Potter and the chamber of secrets. Suite		Suites/Motion picture music	Williams, John (author)	
4	Harry Potter and the chamber of secrets. 2		Novel	Rowling, J. K. (author)	
5	Harry Potter and the chamber of secrets (elokuva : 2002)		Video recordings	Williams, John (composer) Heyman, David (producer) Columbus, Chris (director) Kloves, Steven (screenwriter)	
6	Harry Potter and the chamber of secrets. Family portrait			Williams, John (author)	

The lists are also equipped with filters that allow for further refinement of results and a dedicated sorting function. These filters vary depending on the entities that have been searched, similar to what is provided for the simple search.

Moreover, the results lists can be 'reorganized': users can choose which attributes to display in association with each entity by selecting the 'gear' located at the top right of the results list. This will open a menu where you can enable/disable the fields you wish to display or hide in the results list.

Original work results
Publication results

Filter original works...
Year
Genre
Creator

16 results

No.	Title	Year	Genre	Creators
1	Harry Potter and the chamber of secrets		Motion picture music	
2	Harry Potter and the Chamber of Secrets		Fiction	
3	Harry Potter and the chamber of secrets. Suite		Suites/Motion picture music	
4	Harry Potter and the chamber of secrets. 2		Novel	
5	Harry Potter and the chamber of secrets (elokuva : 2002)		Video recordings	

Toggle columns
☒ No.
☒ Title
☐ Also known as
☒ Year
☒ Genre
☒ Creators
☐ VIAF ID
☐ Identifier
Reset
Done

Columbus, Chris (director)
Kloves, Steven (screenwriter)

Enabling or disabling a certain number of fields dynamically modifies the results list itself, which is readjusted according to the number of attributes being displayed.

Original work results
Publication results

Filter original works...
Year
Genre
Creator

16 results

Sort by (A - Z) ▾

1

[Harry Potter and the chamber of secrets \(Motion picture music\)](#)
Also known as: [0](#)
Creators:
[Williams, John](#) (author)

2

[Harry Potter and the Chamber of Secrets \(Fiction\)](#)
Also known as: [0](#)
Creators:
[Klar, Elizabeth](#) (author)
[Klar-Trim, Cheryl](#) (other)

3

[Harry Potter and the chamber of secrets. Suite \(Suites/Motion picture music\)](#)
Also known as: [0](#)
Creators:
[Williams, John](#) (author)

4

[Harry Potter and the chamber of secrets. 2 \(Novel\)](#)
Also known as: [0](#)
Creators:
[Rowling, J. K.](#) (author)

From the results list, users can view the details of a specific entity by selecting the name or title of one of the provided results.

Original work results

Filter original works...

16 results

No.	Title	Year	Genre	Creators
1	Harry Potter and the chamber of secrets		Motion picture music	Williams, John (author)
2	Harry Potter and the Chamber of Secrets		Fiction	Klar, Elizabeth (author) Klar-Trim, Cheryl (other)
3	Harry Potter and the chamber of secrets. Suite		Suites/Motion picture music	Williams, John (author)
4	Harry Potter and the chamber of secrets. 2		Novel	Rowling, J. K. (author)

You can initiate a new advanced search from various points:

- **From the results page**, by entering new values and/or modifying the search criteria within the same form.

Search for an original work for which

Simple search

Search for...

☒ Agent of any type

☐ Person (e.g. Jules Verne or Marina Abramovic)

☐ Family (e.g. Smith family or Benson family)

☐ Organization (e.g. CERN or Penguin Books)

☐ Conference (e.g. AIAA Thermophysics Conference)

☐ Original work or publication

☒ Original work (e.g. Around the world in 80 days)

☐ Publication (e.g. Around the world in 80 days, 3rd edition, 1906)

No.	Title	Year	Genre	Creators
1	Harry Potter and the chamber of secrets		Motion picture music	Williams, John (author)
2	Harry Potter and the Chamber of Secrets		Fiction	Klar, Elizabeth (author) Klar-Trim, Cheryl (other)


- From the detail page of an entity, to return to the results list, select the menu at the top of the page.

1.3. Search for Authenticated Users


Users enabled to use JCricket can access specific search methods that allow them to query and retrieve the svde:Work entity.

Following [Function 2: Login](#), users authorized to use JCricket will see additional features related to advanced search.

By selecting the appropriate dropdown menu in the entity search section, users can specify a targeted search for svde:Work.




By selecting the svde:Work entity, the system displays a series of specific fields through which the user can perform the search.




Depending on the type of field, the user can enter the following for their search:

- **text values:** text strings, which can be used for exact or partial string searches



The screenshot shows the ShareVDE search interface. The top navigation bar includes 'Dashboard', 'Explore Romeo and Juliet. English. (Text)', 'Simple search', 'Advanced search', and 'Editor'. The 'Simple search' tab is active. Below the navigation bar, there is a search bar with the placeholder text 'Search for a bf:Work for which'. Below the search bar, there are two dropdown menus: 'classification' and 'contains the words'. The 'contains the words' dropdown is open, showing a search term '822.33'. To the right of the search bar, there is a 'Simple search ^' button. Below the search bar, there is a 'Clear all' button and a 'Search' button. Below the search bar, there is a message: 'Please enter a search term to see results. You might, for example, try searching for [people called Maria born in the 1950s](#)'.

- **values from controlled vocabularies:** values sourced from the controlled vocabularies of the Entity Knowledge Base, which can be selected within the field using a dropdown menu.




The screenshot shows the ShareVDE search interface. The top navigation bar includes 'Dashboard', 'Explore', 'Simple search', 'Advanced search', and 'Editor'. The 'Simple search' tab is active. Below the navigation bar, there is a search bar with the placeholder text 'Search for a bf:Work for which'. Below the search bar, there are two dropdown menus: 'language' and 'is'. The 'language' dropdown is open, showing a search term 'any language'. To the right of the search bar, there is a 'Simple search ^' button. Below the search bar, there is a 'Clear all' button and a 'Search' button. Below the search bar, there is a message: 'Please enter a search term to see results. You might, for example, try searching for [people called Maria born in the 1950s](#)'.

The search fields can be:

- **Added** using the + symbol located to the right of each field.
- **Removed** using the trash bin icon to the right of each field (this icon is only activated when more than one search field is present).


When performing a search with multiple fields, the user can also choose between the **AND** and **OR** Boolean operators.



Please enter a search term to see results.
You might, for example, try searching for [people called Maria born in the 1950s](#)

To start the search, the user must enter one or more terms in the selected fields and either click the blue **Search** button or simply press Enter on the keyboard.

The results are organized into a single list, which can be refined using a string-based search. At the moment, no additional filters are available for the svde:Work entity.





82 results

No.	Title	Year	Genre	Contributors	
1	Romeo and Juliet. English. (Text)				
2	Picturing the players in the pit. English. (Text)			Carroll, Lewis (publisher) Carroll, Adam (Adam Paul) (other)	
3	The trade in colours. English. (Text)				
4	Divine mushrooms and sacred landscape. English.				

The list of results can be sorted by selecting which attributes to display. This can be done by clicking the gear icon located at the top right of the results list.

This will open a menu where users can enable or disable the fields they wish to show or hide in the results list.



ShareVDE Dashboard Explore Simple search **Advanced search** Editor Options

bf:Work results

Filter... Q

82 results

No.	Title	Year	Genre	Contributors
1	Romeo and Juliet. English. (Text)			
2	Picturing the players in the pit. English. (Text)			
3	The trade in colours. English. (Text)			
4	Divine mushrooms and sacred landscape. English. (Text)			
5	Memorial landscapes. English. (Text)			
6	Convivium. English. (Text)			
7	The letters of Manuel II Palaeologus. English. (Text)			

Hide or reveal columns

☒ No.

☒ Title

☒ Year

☐ Notes


☐ Identifier

☒ Genre

☒ Contributors

Reset Done

Enabling or disabling certain fields results in a dynamic change to the results list, which is adjusted based on the number of attributes displayed.



ShareVDE Dashboard Explore Simple search **Advanced search** Editor Options

bf:Work results

Filter... Q

82 results

Sort by (A - Z) v

- [Romeo and Juliet. English. \(Text\)](#)
 Notes: 0
 Identifier: w5016-1
 Genre: 0
 Contributors: 0
- [Picturing the players in the pit. English. \(Text\)](#)
 Notes: 0
 Identifier: w5004-1
 Genre: 0
 Contributors: 2
 Carroll, Lewis (publisher)
 Carroll, Adam (Adam Paul) (other)
- [The trade in colours. English. \(Text\)](#)
 Notes: 0
 Identifier: w4993-1

From the results list, it is possible to view the details of a specific entity by selecting the name or title of one of the proposed results.

bf:Work results

Filter... Q

82 results

No.	Title	Year	Genre	Contributors	
1	Romeo and Juliet. English. (Text)				
2	Picturing the players in the pit. English. (Text)			Carroll, Lewis (publisher) Carroll, Adam (Adam Paul) (other)	
3	The trade in colours. English. (Text)				
4	Divine mushrooms and sacred landscape. English. (Text)				
5	Memorial landscapes. English. (Text)				
6	Convivium. English. (Text)				
7	The letters of Manuel II Palaeologus. English. (Text)				

Function 2: Login

The login function is designed to facilitate access to the JCricket tool. Access to JCricket is exclusively reserved for operators such as catalogers and metadata experts from libraries participating in Share Family projects. Credentials will be communicated confidentially to the relevant libraries.

2.1. Users and permissions

User accounts in JCricket do not all have the same role and privileges. There are two different types of users, each with authorization to perform certain actions or restricted from performing others.

2.1.1 Basic users

Basic level users are authorized to perform a limited number of actions within JCricket.

Actions they are authorized to perform:

- Edit attributes exclusively generated by their own library (own Provenance)

Actions they are not authorized to perform:

- Edit attributes generated by other libraries (different Provenance)
- Perform Merge and Split actions

2.1.2. Advanced users

Advanced-level users are authorized to perform a wide range of actions within JCricket.

Actions they are authorized to perform:

- Perform modifications on attributes generated by any library, their own and others.
- Perform merge and split actions.

2.2. Access to JCricket

Users, whether basic or advanced, can access JCricket from various points:

- **From the homepage**, by selecting the **Log in** button.


Search national bibliographies for

[Publications](#)[Original works](#)[People and organizations](#)[Language](#)[Year](#)[Type](#)[Advanced search](#)

Explore books and journals created in BIBFRAME by the Share Family initiative, which houses linked open data National Bibliographies from a pool of international libraries.

[Learn more](#)[Accessibility](#)[Options](#) ▾[Switch site](#) ▾ [Log in](#)


- From the search results pages (simple/advanced), by selecting the “Uman” icon and Log In at the top right.



The screenshot shows the search results page for the query "Brown". The page has a dark header with the "National Bibliographies" logo and a search bar containing "Brown". In the top right corner, there is a "Log in" button with a user icon, which is circled in red. Below the header, there are three tabs: "Publications (14)", "People and organizations (14)" (which is selected), and "Original works (14)". Below the tabs, there are filters for "Start year", "Location", and "Type", and a "Sort by: Relevance" dropdown. The results section shows "14 results" and lists two entries:

- Person
Brown, Margaret Wise
- Person
Brown, Charlie (Fictitious character)

- From entity detail pages, by selecting the “Uman” icon and Log In at the top right.



National Bibliographies

← Name does not begin with eythththtn search Search all content... Options

Browning, Elizabeth Barrett

Poet. Born in 1806 in Durham (England). Died in 1861 in Florence (Italy).

Elizabeth Barrett Browning was an English poet of the Victorian era, popular in Britain and the United States during her lifetime and frequently anthologised after her death. Her work received renewed attention following the feminist scholarship of the 1970s and 1980s, and greater recognition of women writers in English. Born in County Durham, the eldest of 12 children, Elizabeth Barrett wrote poetry from the age of eleven. Her mother's collection of her poems forms one of the largest extant collections of juvenilia by any English writer. At 15, she became ill, suffering intense head and spinal pain for the rest of her life. Later in life, she also developed lung problems, possibly tuberculosis. She took laudanum for the pain from an early age, which is likely to have contributed to her frail health. - Wikipedia

Also known as: ברוט אליזבת, בראונינג, Browning, Mrs. Barrett Browning, Elizabeth · Barrett-Browning, Elizabeth · Barrett, Elizabeth Barrett ...and 2 more


Download More options

Log in options

Log in

We'll use cookies to keep you logged in.

Users are then redirected to the login application page³.



NATIONAL BIBLIOGRAPHIES

Sign in to your account


Username or email

Password

Sign In


³ The login page is based on Keycloak: this is an open-source software product designed to enable Single Sign-On with identity and access management for modern applications and services. See: <https://en.wikipedia.org/wiki/Keycloak> (<https://en.wikipedia.org/wiki/Keycloak>).

Once authenticated, the system opens the same screen displayed before login, but with the addition of the dashboard, which allows access to all the various functions of JCricket.




The screen consists of:

- **Dashboard:** this section notifies the user about various activities involving them, such as merge review requests.



- **Explore:** this section displays the entity currently focused by the user.



Dashboard 24 unread notifications **Explore** Browning, Elizabeth Barrett Simple search Advanced search Editor Options ▾ ➔

Person ⓘ

Browning, Elizabeth Barrett

Poet. Born in 1806 in Durham (England). Died in 1861 in Florence (Italy).


Elizabeth Barrett Browning was an English poet of the Victorian era, popular in Britain and the United States during her lifetime and frequently anthologised after her death. Her work received renewed attention following the feminist scholarship of the 1970s and 1980s, and greater recognition of women writers in English. Born in County Durham, the eldest of 12 children, Elizabeth Barrett wrote poetry from the age of eleven. Her mother's collection of her poems forms one of the largest extant collections of juvenilia by any English writer. At 15, she became ill, suffering intense head and spinal pain for the rest of her life. Later in life, she also developed lung problems, possibly tuberculosis. She took laudanum for the pain from an early age, which is likely to have contributed to her frail health. – Wikipedia

Also known as: ברוינג, אליזבת ברט · Browning, Mrs · Barrett Browning, Elizabeth · Barrett-Browning, Elizabeth · Barrett, Elizabeth Barrett ...and 2 more

Download ▾ More options ▾

[Wikimedia Commons](#)

- **Simple search:** this section redirects to the simple search screen.




ShareVDE BETA Dashboard Explore Carroll, Lewis **Simple search** Advanced search Editor Options ▾ ➔

Search... | Q Advanced search ▾

Search for people, original works and publications

e.g. [Jules Verne](#) or [Around the world in 80 days](#)

- **Advanced search:** this section redirects to the advanced search screen.



Dashboard Explore Carroll, Lewis Simple search lewis carroll **Advanced search** Editor Options ▾ ➔

Search for a publication for which ▾ Simple search ^

title ▾ contains the words ▾ and ▾ ⊕

Search

Please enter a search term to see results.

You might, for example, try searching for [people called Maria born in the 1950s](#)

- **Editor**, which allows access to the JCricket editor.

Dashboard
24 unread notifications

Explore
Browning, Elizabeth Barrett

Simple search

Advanced search

Editor



Person

Browning, Elizabeth Barrett

Poet. Born in 1806 in Durham (England). Died in 1861 in Florence (Italy).

Elizabeth Barrett Browning was an English poet of the Victorian era, popular in Britain and the United States during her lifetime and frequently anthologised after her death. Her work received renewed attention following the feminist scholarship of the 1970s and 1980s, and greater recognition of women writers in English. Born in County Durham, the eldest of 12 children, Elizabeth Barrett wrote poetry from the age of eleven. Her mother's collection of her poems forms one of the largest extant collections of juvenilia by any English writer. At 15, she became ill, suffering intense head and spinal pain for the rest of her life. Later in life, she also developed lung problems, possibly tuberculosis. She took laudanum for the pain from an early age, which is likely to have contributed to her frail health. – Wikipedia


Also known as: בראונינג, אליזבת ברט · Browning, Mrs · Barrett Browning, Elizabeth · Barrett-Browning, Elizabeth · Barrett, Elizabeth Barrett ...and 2 more

Download ▾
More options ▾




The editor page that opens, however, does not lead to the editing functions of the searched entity. Instead, the system directs to a series of functions that allow for the creation of a completely new entity, unrelated to the initially searched one.

For more information on how it works, please refer to the section [Function 4: Creation](#).



- **Options**, which include:
 - Language selection
 - Customization of theme, layout, and text size
 - Advanced option for displaying entity IDs



- **Lists for the merge function**: for this operation refer to the dedicated section [Function 6: Merge](#).

Dashboard
24 unread notifications

Explore
Browning, Elizabeth Barrett

Simple search
browning

Advanced search

Editor

Options ▾ ➔ 👤




Browning, Elizabeth Barrett
 Poet. Born in 1806 in Durham (England). Died in 1861 in Florence (Italy).
Elizabeth Barrett Browning was an English poet of the Victorian era, popular in Britain and the United States during her lifetime and frequently anthologised after her death. Her work received renewed attention following the feminist scholarship of the 1970s and 1980s, and greater recognition of women writers in English. Born in County Durham, the eldest of 12 children, Elizabeth Barrett wrote poetry from the age of eleven. Her mother's collection of her poems forms one of the largest extant collections of juvenilia by any English writer. At 15, she became ill, suffering intense head and spinal pain for the rest of her life. Later in life, she also developed lung problems, possibly tuberculosis. She took laudanum for the pain from an early age, which is likely to have contributed to her frail health. – Wikipedia
 Also known as: אליזבת ברט - אליזבת - בראונינג, Mrs - Barrett Browning, Elizabeth - Barrett-Browning, Elizabeth - Barrett, Elizabeth Barrett ...and 2 more
 Download ▾ More options ▾

[Wikimedia Commons](#)

➔ My merge list

×

There are no merge lists in your space yet.

➔ New merge list

This is a new, empty merge list. The next entity for which you select "Add to a new merge list" will be added here.

- **Logout option:** function to logout to JCricket

Dashboard
24 unread notifications

Explore
Browning, Elizabeth Barrett

Simple search

Advanced search

Editor

Options ▾ ➔ 👤




Browning, Elizabeth Barrett
 Poet. Born in 1806 in Durham (England). Died in 1861 in Florence (Italy).
Elizabeth Barrett Browning was an English poet of the Victorian era, popular in Britain and the United States during her lifetime and frequently anthologised after her death. Her work received renewed attention following the feminist scholarship of the 1970s and 1980s, and greater recognition of women writers in English. Born in County Durham, the eldest of 12 children, Elizabeth Barrett wrote poetry from the age of eleven. Her mother's collection of her poems forms one of the largest extant collections of juvenilia by any English writer. At 15, she became ill, suffering intense head and spinal pain for the rest of her life. Later in life, she also developed lung problems, possibly tuberculosis. She took laudanum for the pain from an early age, which is likely to have contributed to her frail health. – Wikipedia
 Also known as: אליזבת ברט - אליזבת - בראונינג, Mrs - Barrett Browning, Elizabeth - Barrett-Browning, Elizabeth - Barrett, Elizabeth Barrett ...and 2 more
 Download ▾ More options ▾

[Wikimedia Commons](#)

Logged in as Alice Madsen
 (Advanced editing enabled)
 Log out
 ● We'll use cookies to keep you logged in.

Introduction to the edit function: the concepts of Provenance and IsLeader

The operation of the edit function is influenced by two factors:

- The IsLeader value, which determines whether a certain attribute is displayed on the portal or not.
- The type of data being modified.

Furthermore, while [the concept of Provenance](#) plays an important role, it does not have a significant impact on entity modification actions.

A - The concept of Provenance

The concept of Provenance is linked, as the term itself suggests, to the origin of the data.

All data that feeds into the Share Family portals are recorded and stored in the database associated with the source, and therefore with the library that produced it. This allows libraries to always distinguish their own data from that of other sources and ensures the correct management of both the entity reconciliation flow and the automated periodic update (delta).

In the JCricket tool, the Provenance is displayed alongside each piece of data contributing to a specific entity. For its management, there's a dedicated **Provenance menu** for each property.

As mentioned in section [2.1 User accounts and privileges](#), the Provenance of the data serves as a constraint solely for basic users. These users are authorized to modify only attributes generated by their own library.

B - IsLeader value: definition

The **IsLeader** value refers to a specific value associated with the attributes of an entity.

The IsLeader value determines, within the Entity Knowledge Base of Share Family projects, the visibility of data. Attributes of an entity marked with the IsLeader value are displayed on the portals, whereas attributes without the IsLeader value are not.

This mechanism was introduced to address a specific issue. The Share Family projects are collaborative in nature and involve the participation of multiple libraries. The data from these libraries, once appropriately clustered and reconciled, often become redundant. If all data were displayed, it would significantly burden the usability of the portals.

The assignment and functioning of the IsLeader value depend on the type of attribute.

B1 - IsLeader for single-value attributes

Single-value attributes are those attributes for which it is necessary to choose only one value for display on the portal.

These attributes generally include the names and titles of entities in their 'preferred' form. Among the multiple 'preferred' forms indicated by libraries, only one needs to be chosen for display on the portal.

In addition to names and titles, other attributes can also be single-value, such as the type associated with the Agent (Person, Family, Organization, Conference). For distinguishing between single and multi-value attributes, please refer to the specific [Appendix 1: Attribute list](#).

CAVEAT: The preferred form associated with the IsLeader value is not absolute but relative to the language. It is therefore possible to choose a preferred form with an IsLeader value for each language variant.

This condition allows users to view the preferred forms of entities according to the language selected for portal display. An Italian user can therefore view the preferred forms of names and titles in Italian, an English user in English, etc.

B2 - IsLeader for multi-value attributes

Multi-value attributes are those attributes for which it is possible to display multiple values on the portal.

Both string attributes and attributes from controlled vocabularies can be multi-value attributes. For distinguishing between single and multi-value attributes, please refer to the specific [Appendix 1: Attribute list](#).

CAVEAT: Unlike single-value attributes, multi-value attributes are not limited by language constraints. You can set one or more attributes with the IsLeader value, regardless of whether they are in the same language or different languages.

Function 3: Edit


The edit function allows users to correct, add, and delete attributes and related relationships associated with an entity.

The Edit function applies to the main entities underlying the Share Family projects:

- **Agent** entity: this includes all people, families, organizations, and conferences that have any role of intellectual and/or material responsibility for other entities of the model.
- **svde:Opus** entity: this represents the intellectual and creative content of the author.
- **svde:Work** entity: this refers to the individual expressions in which an svde:Opus can be formulated. The entity is visible **only** to users who access JCricket. As seen in the section dedicated to search, users who access JCricket can take advantage of a dedicated search method to retrieve the svde:Work ([Function 1.3 Search for Authenticated Users](#)).
- **Instance** entity: this denotes the specific manifestation. Similarly to the svde:Work entity, the Instance is visible only after accessing JCricket and is displayed in Share Family portals in aggregation with the svde:Work entity as a Publication.
- **Item** Entity: this refers to the single copy belonging to a specific library.

3.1. Edit Actions

To edit an entity, users need to navigate to the detail page of the entity and select the **More Options** menu. Before editing, users need to perform preliminary actions such as searching for the entity ([Function 1: Search](#)) and logging in to the restricted area of the portal ([Function 2: Login](#)).



Person

Browning, Elizabeth Barrett

Poet. Born in 1806 in Durham (England). Died in 1861 in Florence (Italy).

Elizabeth Barrett Browning was an English poet of the Victorian era, popular in Britain and the United States during her lifetime and frequently anthologised after her death. Her work received renewed attention following the feminist scholarship of the 1970s and 1980s, and greater recognition of women writers in English. Born in County Durham, the eldest of 12 children, Elizabeth Barrett wrote poetry from the age of eleven. Her mother's collection of her poems forms one of the largest extant collections of juvenilia by any English writer. At 15, she became ill, suffering intense head and spinal pain for the rest of her life. Later in life, she also developed lung problems, possibly tuberculosis. She took laudanum for the pain from an early age, which is likely to have contributed to her frail health. – Wikipedia


Also known as: אליזבת ברט - בראונינג, Mrs · Barrett Browning, Elizabeth · Barrett-Browning, Elizabeth · Barrett, Elizabeth Barrett ...and 2 more

Download ▾ More options ▾

Wikimedia Commons

From the More Options menu, users can access various functions:

- **Edit:** detailed below shortly.
- **Add to a new merge list:** refer to [Function 6: Merge](#) for more information.
- **Delete this entity:** refer to [Function 5: Delete](#) for more information.
- **Copy URI for this page:** this option allows users to copy the URI associated with the entity.
- **Download the page in these formats:** this option enables users to download the data associated with the entity in binary MARC, MARC XML, RIS, JSON formats. The downloadable formats vary depending on the selected entity.
- **More information about this person/original work on other websites:** this option provides links to external sources related to the same entity.




The screenshot displays the 'More Options' menu for a person entity named 'Brownin'. The menu includes the following options:


- Edit:** CTRL+ALT+T
- Add to a new merge list**
- Delete this entity:** ALT+SHIFT+D
- Copy URI for this page:** https://uat.natbib-lod.org/agents/91780930921334 (with a 'Copy' button)
- More information related to this person on other websites:**
 - isni record
 - wikidata record
 - lcnaaf record
 - bnf record
 - viaf record
 - hdl record

The background shows a profile page for 'Brownin' with a portrait, biographical text, and a 'Download' button.

To perform edit actions, select the **Edit** option from the More Options menu.




This selection allows the user to open the entity within the **Editor** section, which enables performing any type of edit, creation and merge actions for entities.




The Editor section is quite complex and is structured as follows:

- **Overview** (on the left)

Through the Overview, the user can access a detailed list of properties associated with the entity. These properties are presented in specific groupings, which vary depending on the type of entity.




Moreover, users can add additional properties to the entity using the **Add property** function located at the end of the Overview box.




Selecting the *Add property* function opens a menu that automatically provides a list of properties to add to the entity.

Selecting the **Add Property** function opens a menu that automatically suggests a list of properties that can be added to the entity. These properties are also presented in grouped categories.



The screenshot shows the 'Add Property' menu for the entity 'Browning, Elizabeth Barrett'. The menu is open, displaying a list of properties grouped into categories: Name information, Biographical information, Activity areas, and IDs. The 'Add a new property' button is visible at the bottom of the menu. The main editor area shows the entity's details, including Gender (female), Activity areas (Occupation: poet), and IDs (Record control number: n79067862, 90122790).

When a property is selected from the provided list, an empty property is added to the main editor. This enables users to enter the necessary data.




The screenshot shows the 'Name information' section of the entity 'Browning, Elizabeth Barrett'. The 'Add Property' menu is open, and the 'Family name' property has been selected. The main editor area shows the entity's details, including Name (Browning, Elizabeth Barrett), Family name (Browning, Elizabeth Barrett), Given name (Elizabeth Barrett), and Fuller form of name (Elizabeth Barrett). Red arrows point from the 'Family name' and 'Given name' properties in the menu to their respective fields in the main editor.

- **Creating new entities** (on the right)


The function to create new entities is accessible from the Editor. Hence, there is currently no separate page or section in JCricket for creation.

To create a new entity, the user must select the gray button with the + sign located on the right side of the page.




The screenshot shows the JCricket editor interface for an entity named 'Browning, Elizabeth Barrett'. The interface is divided into a main content area and a right-hand sidebar. The sidebar contains a vertical gray bar with a '+' sign, which is circled in red. The main content area displays the entity's metadata, including a URI, Agent type (Person), and Name information. The 'Name' field is filled with 'Browning, Elizabeth Barrett' and the 'Language' field is set to 'English (ENG)'. The 'Family name' field is also visible.

This opens a dedicated section for creation. For more details, please refer to [Function 4: Creation](#).



- **Editor layout** (top right menu)

The Editor layout menu allows users to modify the layout of the entity editing page.



Selecting the option opens a dedicated menu where users can choose between horizontal or vertical layout for both sections and individual properties.

Editor layout ▾ UND, ENG, + ▾

Browning, Elizabeth Barrett

Browning, Elizabeth Barrett	English (ENG)
	English (ENG)
Family name	
	English (ENG)
	English (ENG)
Given name	
	English (ENG)
	English (ENG)
Fuller form of name	
	English (ENG)
Elizabeth Barrett Moulton	English (ENG)
Variant name	
Barrett-Browning, Elizabeth	

Section layout

☐ Horizontal

☒ Vertical

Property layout

☐ Horizontal

☒ Vertical

Choosing one of the settings leads to a different arrangement of the page.

Editor layout ▾ UND, ENG, + ▾

Browning, Elizabeth Barrett

Name	Browning, Elizabeth Barrett	English (ENG)
Family name		English (ENG)
Given name		English (ENG)
Fuller form of name	Elizabeth Barrett Moulton	English (ENG)
Variant name	Barrett-Browning, Elizabeth	
	Barrett, Elizabeth Barrett	
	Brauning, Elizaveta Barrett	
	Browning, Mrs	
	בראונג, אליזבת ברט	
	Barrett Browning, Elizabeth	

Section layout

☐ Horizontal

☒ Vertical


Property layout

☒ Horizontal


☐ Vertical

- **Language management** (top right menu)

This function allows users to choose the languages in which to display the properties associated with the entity they are working on.




By selecting the function at the top right of the page, users can choose from several options.




- **Option 1. Dynamically show languages:** this option displays properties in all languages they are expressed in. The system proposes this function set as default.
- **Option 2. Always show these languages:** users can choose which languages to display the properties in. The system defaults to languages UND (undefined language) and ENG (English).

- **Option 3. Add a new language:** users can choose additional languages for displaying properties.



Reset form (top right menu)

The reset form function can be activated by clicking the pencil icon located at the top right of the page. This allows the edit page to be reloaded, ensuring that the most up-to-date information is displayed.




Main entity editor


The main editor refers to the central box on the Editor page. Through the main editor, the user can perform the most important editing actions on the entity they are working on.

Starting from the gray bar at the top, the user can:

- Return to the entity detail page by selecting the entity's name.
- Close the entity using the X symbol.




In the lower part, the Editor is divided into two specific sections.



SECTION 1: Metadata

This section is specifically dedicated to adding, correcting, and removing properties associated with the entity. Similar to the **Overview**, properties are presented in specific groupings that vary depending on the type of entity.



Browning, Elizabeth Barrett

Metadata | Logs

Basic info

URI
https://uat.natbib-lod.org/agents/91780930921334

Agent type
Person (https://uat.natbib-lod.org/agentTypes/Person)

Name information


Name
Browning, Elizabeth Barrett

Fuller form of name
Elizabeth Barrett Moulton

Variant name

The only property in common of all entity types is **URI**, which is displayed before the other properties. For the Agent, Opus and Instance entities is also displayed the property **Type** (Agent type, Opus type, Instance type): this property takes on different values depending on the type of entity to which it refers.

Additionally, it is possible to copy the entity's **URI** using the designated copy icon.



Browning, Elizabeth Barrett

Metadata | Logs

Basic info

URI
https://uat.natbib-lod.org/agents/91780930921334

Agent type
Person (https://uat.natbib-lod.org/agentTypes/Person)

Name information

Name
Browning, Elizabeth Barrett


Fuller form of name

Variant name


Specific instructions for modifying individual attributes can be found in the following sections: [3.1.1 Editing of string-like attributes](#), [3.1.2 Editing attributes from controlled vocabularies](#), [3.1.3 Editing relationships between entities](#), [3.1.4 Adding properties](#).

SECTION 2: Log


In the Log section, users can view the history of changes associated with the entity.



By selecting the **Sort by (A-Z)** option, users can change how the history is sorted. By default, the list is sorted in ascending order by date. However, users can alternatively choose to sort by **Operation Type** or **Provenance** of the data.



Users can also customize the information displayed in the log list by applying filters. These filters can be accessed by selecting the *gear* symbol located at the top right of the page.



Users can customize the information displayed by choosing to show all available information or only select items. They can confirm their choice by clicking the **Done** button, or revert to default settings by clicking the **Reset** button.

As mentioned earlier, the Metadata section is specifically dedicated to adding, editing, and removing properties associated with the entity.

For ease of use, the various editing actions have been divided into five specific sub-sections, each detailing specific methods based on the type of data and operation to be performed.

3.1.1. Editing of string-like attributes

This section outlines the methods for editing (correction/addition/deletion) string attributes associated with an entity.


String attributes refer to those attributes where values are freely entered, without controlled values. Typically, string attributes include entity names, titles, and dates.

For a complete list of attributes, refer to the dedicated [Appendix 1: Attribute list](#).

Editing, adding, and removing attributes can be done in two different ways:

1) From the main screen

To insert a new string in a language for which there are already values, click the **+** on the right side of the screen corresponding to the chosen language.



Name information		
Name		
Browning, Elizabeth Barrett		+
Browning, Elizabeth Barrett	English (ENG)	+
Family name		
		+
Barrett	English (ENG)	
Browning	English (ENG)	+
Barrett Browning	English (ENG)	
Given name		
		+

This ensures that a row with the language value is automatically inserted.


Browning, Elizabeth Barrett



Person
(<https://uat.natbib-lod.org/agentTypes/Person>)

Name information

Name


Browning, Elizabeth Barrett



+


Browning, Elizabeth Barrett


English (ENG)

+




English (ENG)

+

Family name





+


Barrett


English (ENG)

+


Browning


English (ENG)

+


Barrett Browning


English (ENG)

+

Given name

When there are multiple values for the same attribute, users can also indicate whether the value should be displayed on the portal (IsLeader) by flagging the oval icon to the left of the value.


Browning, Elizabeth Barrett



Person
(<https://uat.natbib-lod.org/agentTypes/Person>)

Name information

Name


Browning, Elizabeth Barrett



+


Browning, Elizabeth Barrett


English (ENG)

+


Browning, Elizabeth B.


English (ENG)

+

Family name





+


Barrett


English (ENG)

+


Browning


English (ENG)

+


Barrett Browning


English (ENG)

+


Given name

IMPORTANT: for single-valued attributes, such as Names and Titles, indicating IsLeader involves the following:

- if the entered value is in a language for which no other values existed, the system automatically qualifies the string as IsLeader.
- If the entered value is in a language for which other values already exist, users can choose which string to qualify as IsLeader by selecting the oval icon to the left of the string.

2) From the Property details and actions menu

To open the **Property details and actions menu**, select the icon with the three dots at the top right of each property.




The screenshot shows a web application window titled "Browning, Elizabeth B.". At the top, there is a search bar containing "Person" and a URL "https://uat.natbib-lod.org/agentTypes/Person". Below the search bar, there are three main sections: "Name information", "Family name", and "Given name". Each section contains a table of values. In the "Name information" section, the first row is highlighted, and a red circle highlights the three-dot menu icon in the top right corner of the table. The "Family name" and "Given name" sections also have similar tables.

The system opens a dedicated menu composed as follows:


- **Section Property details:** section with the additional information about the property, including:
 - **Description:** description of the property from the reference ontology (BIBFRAME, RDA, MADS);
 - **URI:** URI property in the reference ontology (BIBFRAME, RDA, MADS);
 - **Datatype:** detailed information on the type of value expressed by the property, for example whether the permitted value is a string or a number, and whether it is a single- or multi-valued attribute;

- **Section Actions:** this section is composed as follow:
 - **Provenance editor:** the menu allows you to add, edit and remove values associated with a property by viewing the details on each Provenance;
 - **Add language:** the menu allows to add new values to the property selecting a specific language.




Section Actions - Provenance editor

To access the **Provenance editor**, select the option in the Action sections.



To insert a new string in a language for which there are already values, select the + symbol located to the right of the screen next to the chosen language.




Provenance data

Name	Browning, Elizabeth Barrett		LOC	+
	Browning, Elizabeth Barrett		NLN	+
	Browning, Elizabeth Barrett	English (ENG)	NLN	+

End of 'Name' provenance statements

Close

This guarantees that a row is inserted with the language value pre-filled.



Provenance data

Name	Browning, Elizabeth Barrett		LOC	+
	Browning, Elizabeth Barrett		NLN	+
	Browning, Elizabeth Barrett	English (ENG)	NLN	+
		Inglese (ENG)	NLN	+

End of 'Name' provenance statements

Close

In this case, the row is added in association with the library's Provenance, unlike the main screen where it's added for the entity itself.

To delete an existing value, select the *trash can* icon located to the right of each value.

Browning, Elizabeth Barrett

Provenance data

Name					
Browning, Elizabeth Barrett		Browning, Elizabeth Barrett		LOC	+
Browning, Elizabeth Barrett		Browning, Elizabeth Barrett		NLN	+
Browning, Elizabeth Barrett		Browning, Elizabeth Barrett	English (ENG)	NLN	+

End of 'Name' provenance statements

[Close](#)

Sezione Actions - Add language

To add a new string via the **Add Language** function, select the option in the Action sections.

Browning, Elizabeth B.

Person (<https://uat.natbib-lod.org/agentTypes/Person>)

Name information

Name
Browning, Elizabeth Barrett
Browning, Elizabeth Barrett
Browning, Elizabeth B.

Family name

Barrett
Browning
Barrett Browning

Given name


Property details (Name)
Relates an agent to a nomen that is an appellation of agent in natural language and phrasing used in common discourse.
 URI: <https://www.rdaregistry.info/Elements/u/#P60368>
 Datatype: Text string, single value

Actions

- Provenance editor
- Add language**


English (ENG)

The system facilitates language selection through a dropdown menu, which suggests possible selectable values based on the entered letters.



The screenshot shows a form titled "Browning, Elizabeth B." with a dropdown menu open for the "Name" field. The menu is titled "Add a value in another language" and contains two input fields: "span" and "Spanish". The "Spanish" field is highlighted. Below the menu, there is a table with columns for "Name" and "Language". The table contains three rows: "Barrett" (English), "Browning" (English), and "Barrett Browning" (English). The "Spanish" language is highlighted in the table.

The user selects one of the values offered by the menu, and the system inserts a new row with the language value already filled in.



The screenshot shows the same form as before, but with a new row added to the "Name" table. The new row is highlighted and contains the text "Browning, Elizabeth B." in the "Name" column and "Spanish (SPA)" in the "Language" column. The "Spanish" language is highlighted in the table.

Users can then directly enter the string in the left section of the row.

3.1.2. Editing attributes derived from controlled vocabularies

This section details the procedures for editing (correction, addition, deletion) attributes derived from controlled vocabularies associated with an entity.


Attributes derived from controlled vocabularies are those whose values are selected from predefined lists of controlled terms. Users cannot input free-form values for these attributes; instead, they must choose from a list of predefined options provided by the system.

For a comprehensive list of attributes, please refer to the specific [Appendix 1: Attribute list](#).

Editing, adding, and removing attributes can be accomplished in two different ways.

1) From the main screen

To add a new value to an already existing attribute, select the + icon on the right side of the screen.




The screenshot shows the profile of Elizabeth Barrett Browning. The interface includes a header with the name and a close button. Below the header, there are several sections for attributes:

- Place of birth:** Durham (England) (https://uat.natbib-lod.org/places/41780929167574)
- Place of death:** Florence (Italy) (https://uat.natbib-lod.org/places/41780929152590)
- Gender:** female
- Language:** English (ENG)
- Activity areas:**
 - Occupation:** writer (https://uat.natbib-lod.org/occupations/Q36180), poet (https://uat.natbib-lod.org/occupations/Q49757)

Each attribute has a dropdown menu icon on the left and a '+ Add a new statement' button on the right.


The system adds a blank row at the end. To add a new value, type the desired value string.

As users type, the system activates a dropdown menu with selectable values based on the entered letters.



Users select one of the values offered by the menu, which is then associated with the entity.


If there are multiple values for the same attribute, it is possible to indicate whether the value should be displayed on the portal (IsLeader) by clicking the oval icon to the left of the value.



If the desired term is not suggested via autocomplete, users can create the entry for some controlled vocabularies. For further details, please refer to the specific section [4.2 Creation of terms from controlled vocabulary](#).

2) From the Property details and actions menu


To open the **Property details and actions menu**, select the icon with the three dots at the top right of each property.



Browning, Elizabeth Barrett		
1806		+
Death date		
		+
1861		+
Place of birth		
● Durham (England)	(https://uat.natbib-lod.org/places/41780929167574)	+
Place of death		
● Florence (Italy)	(https://uat.natbib-lod.org/places/41780929152590)	+
Gender		
		+
female	English (ENG)	+
Activity areas		

The system opens a dedicated menu composed as follows:

- Section Property details:** section with the additional information about the property, including:
 - Description:** description of the property from the reference ontology (BIBFRAME, RDA, MADS);
 - URI:** URI property in the reference ontology (BIBFRAME, RDA, MADS);
 - Datatype:** detailed information on the type of value expressed by the property, for example whether the permitted value is a string or a number, and whether it is a single- or multi-valued attribute;
- Section Actions:** section that include the **Provenance editor**: the menu allows you to add, edit and remove values associated with a property by viewing the details on each Provenance.




Property details (Place of birth)
The town, city, province, state, and/or country in which a person was born
URI: <http://www.loc.gov/mads/rdf/v1#birthPlace>
Datatype: Place, single value

Actions
Provenance editor

Sezione Actions - Provenance editor

To access the **Provenance editor**, select the option in the Action sections.



Property details (Place of birth)
The town, city, province, state, and/or country in which a person was born
URI: <http://www.loc.gov/mads/rdf/v1#birthPlace>
Datatype: Place, single value

Actions
Provenance editor

To add a new value, click on the + icon located to the right of the screen.

Browning, Elizabeth Barrett

Provenance data

Place of birth	Durham (England) (https://uat.natbib-lod.org/places/41780929167574)	LOC	+
----------------	--	-----	----------------------------------

End of 'Place of birth' provenance statements

The system adds a blank row to the end of the list. To add a new value, type the desired value string into the row.

Based on the entered letters, the system activates a dropdown menu with possible selectable values.

Browning, Elizabeth Barrett

Provenance data

Place of birth	Durham (England) (https://uat.natbib-lod.org/places/41780929167574)	LOC	+
	london	NLN	+

End of 'Place of birth' provenance statements

Enter
 London Colney (England) (https://uat.natbib-lod.org/places/41754486900345) Enter
 London Colney (England) (https://uat.natbib-lod.org/places/41780929138849) Enter
 Londonderry (Northern Ireland : County) (https://uat.natbib-lod.org/places/41754487169261) Enter
 Bromley (London, England) (https://uat.natbib-lod.org/places/41754487114907) Enter

Similarly to the **main screen**, users select the value from the list of proposed values and can decide whether to flag the new value as visible on the platform (IsLeader).

In this case, the value is added in association with the library's Provenance, unlike what is expected on the main screen.

Browning, Elizabeth Barrett

Provenance data

Place of birth				
	● Durham (England) (https://uat.natbib-lod.org/places/41780929167574)	LOC	🗑️	+
	● London (https://uat.natbib-lod.org/places/1786024294028)	NLN	🗑️	+

👤 End of 'Place of birth' provenance statements

Close

To delete an existing value, select the *trash can* icon located to the right of each value.

Browning, Elizabeth Barrett

Provenance data

Place of birth				
	● Durham (England) (https://uat.natbib-lod.org/places/41780929167574)	LOC	🗑️	+
	● London (https://uat.natbib-lod.org/places/1786024294028)	NLN	🗑️	+

👤 End of 'Place of birth' provenance statements

Close

If the desired term is not suggested through autocomplete, users can create the entry for some controlled vocabularies. Refer to the specific section [4.2 Creation of terms from controlled vocabulary](#).

3.1.3. Editing relationships between entities

This section provides methods for editing (correcting, adding, removing) entity relationships.

Relationship management in JCricket adheres to a specific hierarchical structure outlined as follows:

- **Agent entities:** users cannot modify/add/remove relationships starting from Agent entities.
- **svde:Opus entities:** from Opus entities, users can modify/add/remove relationships with:
 - Agents of any type (Person, Family, Organization, Conference)
 - svde:Work
 - Other Opus entities
- **svde:Work entities:** starting from svde:Work entities, users can modify/add/remove relationships with:
 - Agents of any type (Person, Family, Organization, Conference)
 - Instance
 - Other svde:Work entities
- **Instance entities:** starting from Instance, users can modify/add/remove relationships with:
 - Other Instance entities
 - Items
- **Item entities:** users cannot modify/add/remove relationships starting from Agent entities.


Modification, addition, and removal of relationships between entities can be accomplished in two different ways.

1) From the main screen

To add a new relationship, select the + button on the right side of the screen.

The property to be filled varies depending on the relationship users want to add; for example, to link an Agent, the relevant property is **Contributor**.

When users enter letters, the system activates two search options: the first option searches for the typed string in **Simple search** mode, while the second option searches for the typed string in **Advanced search** mode.



When users select one of the two options, they are redirected to either the Simple search screen or the Advanced search screen. Both screens are pre-filled with the entered value.

IMPORTANT: The search methods are identical to those seen in the [Function 1: Search](#). This means that when adding a relationship with an Instance entity, the advanced search method must be used because the simple search does not retrieve Instance entities.

The system displays a list of results based on the entered string.

Dashboard
24 unread notifications

Explore
My heart and I

Simple search
Dickens

Advanced search

Editor
"My heart and I"

Dickens

Publications (1)

People and organizations (1)

Original works (2)

Location

1 result

☐ Person
Dickens, Charles
 Authors, english. Born in 1812 in Portsea Island (England). Died in 1870 in Higham (Kent, England).

End of list

After selecting the entity of interest, users are redirected to the detail page of that entity.

Dashboard
24 unread notifications

Explore
Dickens, Charles

Simple search
Dickens

Advanced search

Editor
"My heart and I"



Person

Dickens, Charles

Authors, english. Born in 1812 in Portsea Island (England). Died in 1870 in Higham (Kent, England).

Charles John Huffam Dickens was an English writer and journalist. He created some of literature's best-known fictional characters, and is regarded by many as the greatest novelist of the Victorian era. His works enjoyed unprecedented popularity during his lifetime and, by the 20th century, critics and scholars had recognised him as a literary genius. His novels and short stories are widely read today. - Wikipedia

Also known as: 狄更斯查尔斯·狄更斯, טשאַרלס די קיקענס, טשאַרלס די קיקענס, Чарлз · Чарльз·Диккенс ...and 21 more

Download
More options


Original works by

Original works about

1 result


No.	Title	Year	Genre	Creators

Select **More options** and then choose the second function **Add to editor**.




The screenshot shows the 'Dickens' entity page. The 'Editor options' menu is open, and the 'Add to editor: Author in Original work My heart and I (o1331781085614209)CMD+SHIFT+U' option is highlighted with a red box. The page also shows a portrait of Dickens, his name, and a list of original works by him.

Selecting this function establishes a relationship between the selected entity and the starting one.



The screenshot shows the 'My heart and I' work page. The 'Contributors' section lists three contributors: Browning, Elizabeth Barrett (Lyricist), Bjørnstad, Ketil (Producer), and Dickens, Charles (Author). The 'Dickens, Charles' entry is highlighted with a red box. The 'Works' section shows the work 'My heart and I. English. (Performed music)'.


In the case of Contributors, users can also specify the relationship code between the Opus/Work/Instance entity and the connected Agent.




In the case of multiple relationships, the system checks the **oval icon** located to the left of the relationship (**IsLeader**), ensuring it is displayed on the portal.

2) From the More actions menu

To open the **More actions menu**, select the icon with the three dots at the top right of each property.



Select the option **Provenance editor**.



ATTENTION: Unlike other properties, properties expressing relationships between entities have different provenance management. While string properties or properties expressed by controlled vocabularies allow to display the provenance comprehensively across all expressed values, in the case of relationships between entities, the provenance is displayed and managed for the individual value. For example, if there are two different contributors (e.g., Browning, Elizabeth Barrett, and Bjørnstad, Ketil), it's possible to open two different provenance menus, specific to the two expressed values.

✕ "My heart and I"

Provenance data

Contributor				
	⊞	 Browning, Elizabeth Barrett https://uat.natbib-lod.org/agents/91780930921334	Author (https://uat.natbib-lod.org/roles/aut)	NLN
	⊞	 Browning, Elizabeth Barrett https://uat.natbib-lod.org/agents/91780930921334	Lyricist (https://uat.natbib-lod.org/roles/lyr)	NLN
	○	 Browning, Elizabeth Barrett https://uat.natbib-lod.org/agents/91780930921334	Contributor (CTB)	NLN

👤 End of 'Contributor' provenance statements

Close

To delete an existing relationship, select the *trash can* icon located to the right of each value.

✕ "My heart and I"

Provenance data

Contributor				
	⊞	 Browning, Elizabeth Barrett https://uat.natbib-lod.org/agents/91780930921334	Author (https://uat.natbib-lod.org/roles/aut)	NLN
	⊞	 Browning, Elizabeth Barrett https://uat.natbib-lod.org/agents/91780930921334	Lyricist (https://uat.natbib-lod.org/roles/lyr)	NLN
	○	 Browning, Elizabeth Barrett https://uat.natbib-lod.org/agents/91780930921334	Contributor (CTB)	NLN


👤 End of 'Contributor' provenance statements

Close


To add a relationship that is not available in either the main menu or the Provenance menu, please refer to section [3.1.4 Adding properties](#).

Property details information is instead shown at the property level.

To open the **Property details menu**, select the icon with the three dots at the top right.



The menu allows displaying the property description and URI, if available, and the Datatype.




3.1.4. Adding properties


Adding properties not available in the entity editor can be accomplished in two different ways.

1) From the main screen

To add a new property, select the *Add property* button.



The system lists a series of properties, organized into specific groupings. The user can select the property they wish to add by choosing one from the proposed list.




The screenshot shows the 'Add a new property' dialog box in the Share Family application. The dialog box is open over a table with columns for ID, Name, and Language. The 'Name information' section is highlighted with a red box, and the 'Numeration' option is selected. The 'Add property' button is at the bottom left of the dialog.

The selected property is added to the group of attributes to which it belongs.

*If it's a **string-type attribute**, the system automatically inserts some default empty rows:*


- The first row is designated for entering the value of the property with an **undefined language** (UND).
- Subsequent rows are for entering the value of the property in the languages chosen in the **language settings** menu.



Users enter the desired values in the rows and have the option to add values in other languages in addition to those already proposed, as explained in paragraph [3.1.1 Editing of string-like attributes](#).

If it is an attribute from a controlled vocabulary, the system displays an empty row where the desired value can be entered.

Based on the input, the system activates a dropdown menu with selectable values.



Users select one of the values from the dropdown menu, and the system associates this selected value with the entity.


The attribute management process is otherwise the same as described in paragraph [3.1.2 Editing attributes derived from controlled vocabularies](#).

If it is a relationship, the system displays an empty row where users can enter the string of the entity to be linked.


The property management process is otherwise the same as described in paragraph [3.1.3 Editing relationships between entities](#).

2) From the Overview menu

To add a new property, select the **Add property** button located in the Overview box.



Selecting the **Add property** function opens a menu that displays a list of properties that can be added to the entity.



When a property is selected from the proposed list, it is added to the main editor as an empty property, allowing the user to enter the necessary data.

Property management follows the same principles as outlined in the specific sections: [3.1.1 Editing of string-like attributes](#), [3.1.2 Editing attributes derived from controlled vocabularies](#), and [3.1.3 Editing entity relations](#).

3.2. Notification of ongoing editing

The notification system alerts users when the entity they are working on is currently being edited by another user. The system cannot handle simultaneous edits to the same attribute of the same entity. To avoid conflicts, the first edit made is accepted, regardless of the user who made it.

It is therefore recommended not to work on an entity that is already being edited by other users.

The graphical solutions adopted for displaying the notification are:

- **BANNER:** displayed on the entity's detail page, clearly indicates the name of the user currently editing the entity and prominently alerts users to concurrent editing activity.

 This entity is in edit mode because of changes you began earlier.



 Person 

Browning, Elizabeth Barrett

Writer and poet. Born in 1806 in Durham (England). Died in 1861 in Florence (Italy).

Elizabeth Barrett Browning was an English poet of the Victorian era, popular in Britain and the United States during her lifetime and frequently anthologised after her death. Her work received renewed attention following the feminist scholarship of the 1970s and 1980s, and greater recognition of women writers in English. Born in County Durham, the eldest of 12 children, Elizabeth Barrett wrote poetry from the age of eleven. Her mother's collection of her poems forms one of the largest extant collections of juvenilia by any English writer. At 15, she became ill, suffering intense head and spinal pain for the rest of her life. Later in life, she also developed lung problems, possibly tuberculosis. She took laudanum for the pain from an early age, which is likely to have contributed to her frail health. – Wikipedia

Also known as: אליזבת ברט - Browning, Mrs · Barrett Browning, Elizabeth · Barrett-Browning, Elizabeth · Barrett, Elizabeth Barrett ...and 2 more

Download ▾ More options ▾

[Wikimedia Commons](#)

The banner is removed after a certain period of inactivity.

- **EDIT ICON:** displayed next to an entity within a list, its symbol is a pencil.



• Publications (9)

• People and organizations (1)

• Original works (9)

Location

1 result



Person

Browning, Elizabeth Barrett



Writer and poet. Born in 1806 in Durham (England). Died in 1861 in Florence (Italy).

👤 End of list

Function 4: Creation

The edit function allows users to initiate the creation of a new entity.

The creation action in JCricket is managed through dedicated menus rather than the **More options** menu used for other functions.

Creation can be carried out in two different ways:

- **Creating entities:** this refers to creating any entity included in the ontological model of the Share Family⁴, namely:
 - Agent, of any type (Person, Family, Organization, Conference)
 - svde:Opus
 - svde:Work, Instance, Item
- **Creating Concepts:** it refers to concepts that make up Subject entities (**ATTENTION:** the creation of the Subject entity is not yet present in JCricket)
 - Date
 - Genre/Form
 - Topic
 - Place
 - Event
 - Generic concept
- **Creating terms from Controlled vocabulary:** this refers to creating new entries within specific controlled vocabularies.
 - Content type
 - Carrier type
 - Language

It should be noted, however, that both the section relating to the creation of Concepts and the terms associated with controlled vocabularies will be significantly revised in the near future.

4.1. Entity creation

Creating a new entity affects all entities within the Share Family's ontological model.

The creation action arises from two different needs:

- Creating an entity in relation to an already existing entity in JCricket

⁴ Currently, the only entity excluded due to its complexity is Subject.


- Creating a new entity from scratch.

Preliminary actions are, of course, searching for the entity ([Function 1: Search](#)) and logging into the reserved area of the portal ([Function 2: Login](#)).

CREATING AN ENTITY IN RELATION TO ANOTHER ENTITY

To create a new entity in relation to another entity, begin by selecting an existing entity using [Function 1: Search](#) and open the entity in JCricket as indicated in [Function 3: Edit](#).

To create a new entity, click the + button located on the right side of the screen.



When users click the button, a second screen opens with different functions:

- **Reference to the simple and advanced search functions**, through the options **Explore** and **Search**.

Find it via search

To view an entity here, open it through [explore](#) or [search](#) screens.

Open via ID

Create new...

Agent	Opus	Bibliographic	Concept	Controlled vocabulary
Person	Original work	bf:Work	Date	Content type
Family		Instance	Genre/Form	Carrier type
Organization		Item	Topic	Language
Conference			Place	
			Event	
			Generic concept	

Selecting **Explore** redirects users to the advanced search screen, whereas selecting **Search** redirects users to the simple search screen.

- **Searching for an entity via URI**

Find it via search

To view an entity here, open it through [explore](#) or [search](#) screens.

Open via ID

Create new...

Agent	Opus	Bibliographic	Concept	Controlled vocabulary
Person	Original work	bf:Work	Date	Content type
Family		Instance	Genre/Form	Carrier type
Organization		Item	Topic	Language
Conference			Place	
			Event	
			Generic concept	

The function enables precise searching by URI. Users input the URI of the entity and then click **Open**.

Find it via search

To view an entity here, open it through [explore](#) or [search](#) screens.

Open via ID

[Open](#)

Create new...

Agent	Opus	Bibliographic	Concept	Controlled vocabulary
Person	Original work	bf:Work	Date	Content type
Family		Instance	Genre/Form	Carrier type
Organization		Item	Topic	Language
Conference			Place	
			Event	
			Generic concept	

The system immediately opens the entity that corresponds to the entered URI.

Browning, Elizabeth Barrett

Metadata Logs

Basic info

URI

<https://uat.natbib-lod.org/agents/91780930921334>

Agent type

[Person](#) (<https://uat.natbib-lod.org/agentTypes/Person>)

Name information

Name

[Browning, Elizabeth Barrett](#) [English \(ENG\)](#)

[Browning, Elizabeth Barrett](#) [English \(ENG\)](#)

Family name

[Browning, Elizabeth Barrett](#) [English \(ENG\)](#)

"Be it so"

Metadata Logs

Basic info

URI

<https://uat.natbib-lod.org/opuses/1331781085612528>

Opus type

[Music](#) (<https://uat.natbib-lod.org/opusTypes/MusicOpus>)

Titles

Title


[Be it so](#) [English \(ENG\)](#)

[Be it so](#) [English \(ENG\)](#)

Main title

[Be it so](#) [English \(ENG\)](#)

- **Creation templates**



Find it via search
To view an entity here, open it through [explore](#) or [search](#) screens.

Open via ID

Entity URI

Create new...

Agent	Opus	Bibliographic	Concept	Controlled vocabulary
Person	Original work	bf:Work	Date	Content type
Family		Instance	Genre/Form	Carrier type
Organization		Item	Topic	Language
Conference			Place	
			Event	
			Generic concept	

The user can choose from various templates to create new entities, organized into:

- **Agents**, such as Person, Family, Organization, Conference
- **Opus**, specifically svde:Opus
- **Bibliographic** items, which include svde:Work, Instance, and Item
- **Concepts**, which include concepts that make up Subject entities (**ATTENTION:** the creation of the Subject entity is not yet present in JCricket)
- **Controlled vocabulary**, which includes controlled vocabularies for which it is possible to create a new entry, (such as places or languages). For more information on creating terms from controlled vocabularies, please see section [4.2 Creating terms from controlled vocabularies](#).

It should be noted, however, that both the section relating to the creation of Concepts and the terms associated with controlled vocabularies will be significantly revised in the near future.

To create a new entity, select the desired type from the list. This action opens a new screen displaying all the main properties associated with the selected entity type.

Browning, Elizabeth Barrett

Metadata

Logs

Basic info

URI

https://uat.natbib-lod.org/agents/91780930921334

Agent type

Person (https://uat.natbib-lod.org/agentTypes/Person)

Name information

Name

Browning, Elizabeth Barrett

English (ENG)

Family name

Original work with unknown title

Metadata

Logs

Basic info

URI

https://uat.natbib-lod.org/opuses/1786024099704

Opus type

Titles

Title

Contributors

Users can then input all the attributes and relationships associated with the newly created entity.

Just like during editing, there's no need for manual saving, as the system automatically saves the entity.

"Aurora Leigh"

Metadata

Logs

Basic info

URI

https://uat.natbib-lod.org/opuses/1786024099704

Opus type

Language (https://uat.natbib-lod.org/opusTypes/LanguageOpus)

Titles

Title

Aurora Leigh


Contributors

Contributor

Browning, Elizabeth Barrett (https://uat.natbib-lod.org/agents/91780930921334)

Author (https://uat.natbib-lod.org/roles/aut)

IMPORTANT: In JCricket, it's not mandatory to fill in all the properties associated with an entity. However, it's advisable to always provide the Name/Title of the entity to ensure it's not left nameless, which could make it difficult to retrieve during searches.




The screenshot shows the JCricket interface for an entity titled "Original work with unknown title". The interface has two tabs: "Metadata" and "Logs". Under "Metadata", there is a "Basic info" section with a "URI" field containing "https://uat.natbib-lod.org/opuses/1786024099704" and an "Opus type" dropdown set to "Language". Below this is a "Titles" section with two rows. The first row is highlighted with a red box and has a "Title" field that is empty. The second row has a "Title" field containing "English (ENG)".

As described in paragraph [3.1.3 Editing relationships between entities](#), the management of relationships between entities follows a specific hierarchical order. This order also applies during the creation process.

CREATION OF A NEW ENTITY FROM SCRATCH


To create a new entity from scratch, the user must first verify that the entity is not already present on the portal using [Function 1: Search](#).

After logging in, which grants access to the reserved area of the portal ([Function 2: Login](#)), select the **Editor** tab located at the top right of the screen.




The system opens a new screen that presents various functions:

- **References to simple and advanced search functions**, through the Explore and Search options.



By selecting **Explore**, the user is redirected to the advanced search screen, while by selecting **Search**, the user is redirected to the simple search screen.

- **Entity search by URI**



Find it via search

To view an entity here, open it through [explore](#) or [search](#) screens.

Open via ID

Entity URI

Open

Create new...

Agent	Opus	Bibliographic	Concept	Controlled vocabulary
Person	Original work	bf:Work	Date	Content type
Family		Instance	Genre/Form	Carrier type
Organization		Item	Topic	Language
Conference			Place	
			Event	
			Generic concept	

The function allows for an exact search by URI. The user enters the URI of the entity and selects **Open**.

Find it via search

To view an entity here, open it through [explore](#) or [search](#) screens.

Open via ID

[Open](#)

Create new...

Agent	Opus	Bibliographic	Concept	Controlled vocabulary
Person	Original work	bf:Work	Date	Content type
Family		Instance	Genre/Form	Carrier type
Organization		Item	Topic	Language
Conference			Place	
			Event	
			Generic concept	

The system directly opens the entity page that corresponds to the entered URI.

"Be it so"

Metadata Logs

Basic info

URI
https://uat.natbib-lod.org/opuses/1331781085612528

Opus type
Music (https://uat.natbib-lod.org/opusTypes/MusicOpus)

Titles

Title
Be it so English (ENG)

Main title

- Opening the Creation Templates

Find it via search

To view an entity here, open it through [explore](#) or [search](#) screens.

Open via ID

Entity URI

Create new...


Agent	Opus	Bibliographic	Concept	Controlled vocabulary
Person	Original work	bf:Work	Date	Content type
Family		Instance	Genre/Form	Carrier type
Organization		Item	Topic	Language
Conference			Place	
			Event	
			Generic concept	

Users can choose from various templates to create new entities, organized into:

- **Agents**, such as Person, Family, Organization, Conference
- **Opus**, specifically svde:Opus
- **Bibliographic** items, which include svde:Work, Instance, and Item
- **Concepts**, which include concepts that make up Subject entities (**ATTENTION**: the creation of the Subject entity is not yet present in JCricket)
- **Controlled vocabulary**, which includes controlled vocabularies for which it is possible to create a new entry, (such as places or languages). For more information on creating terms from controlled vocabularies, please see section [4.2 Creating terms from controlled vocabularies](#).

It should be noted, however, that both the section relating to the creation of Concepts and the terms associated with controlled vocabularies will be significantly revised in the near future.


To create a new entity, select the desired type from the list. This action opens a new screen displaying all the main properties associated with the selected entity type.



The screenshot shows the 'Editor' view for a new entity named 'Person with unknown name'. The interface includes a top navigation bar with options like 'Dashboard', 'Explore', 'Simple search', 'Advanced search', and 'Editor'. The left sidebar shows a list of properties for the entity, including 'Basic info', 'Name information', and 'Biographical information'. The main area displays the 'Metadata' and 'Logs' tabs, with the 'Basic Info' section showing the URI and Agent type. The 'Name information' section is currently empty, and the 'Biographical information' section is also empty.


Users can then enter all the attributes and relationships related to the newly created entity.

Similarly to the Edit actions, no manual saving is required, as the entity is automatically saved by the system.



The screenshot shows the 'Editor' view for an existing entity named 'Franz Kafka'. The interface is similar to the previous one, but the 'Name information' and 'Biographical information' sections are now populated. The 'Name information' section shows the name 'Franz Kafka' and the language 'English (ENG)'. The 'Biographical information' section shows the birth date '1883' and the death date '1924'. Red boxes highlight the 'Name' and 'Birth date' fields.

NOTE: In JCricket, there is no requirement to fill in the properties associated with an entity. However, it is recommended to always complete the Name/Title of the entity to avoid having it without a name and therefore not retrievable during searches.




Similarly to what was discussed in section [3.1.3 Editing Relationships Between Entities](#), the management of relationships between entities follows a specific hierarchical order. This order remains valid even during the creation process.

4.1.1. Creation of Agent-svde:Opus entities

The relationship between an Agent and svde:Opus can be managed from svde:Opus towards the Agent.

- **If the Agent does not exist:** create the Agent first, then set up the relationship from svde:Opus to the Agent.
- **If the Opus does not exist:** create the svde:Opus first, then set up the relationship from svde:Opus to the Agent.
- **If neither the Agent nor the svde:Opus exist:** create both entities, then set up the relationship from svde:Opus to the Agent.




The screenshot shows two side-by-side entity editors. The left editor is for 'Franz Kafka' and the right is for 'Der Prozess'. A red arrow originates from the 'Agent type' field in the 'Franz Kafka' editor, which is set to 'Person', and points to the 'Contributors' section in the 'Der Prozess' editor. In the 'Contributors' section, a new contributor is being added, showing 'Franz Kafka' as the contributor and 'Author' as the role.

4.1.2. Creating *svde:Opus*-*svde:Work* entities

The relationship between *svde:Opus* and *svde:Work* can be managed from *svde:Opus* towards *svde:Work*.

- **If the *svde:Work* does not exist:** create the *svde:Work* first, then set up the relationship from *svde:Opus* to *svde:Work*.
- **If neither *svde:Work* nor *svde:Opus* exist:** create both entities, then set up the relationship from *svde:Opus* to *svde:Work*.




The screenshot shows two side-by-side entity editors. The left editor is for 'Der Prozess' and the right is for 'Der Prozess. English. (Text)'. A red arrow points from the 'Has Expression' field in the 'Der Prozess' editor, which contains the URI 'https://uat.natbib-lod.org/works/1786025603449', to the 'Der Prozess. English. (Text)' entity editor. The 'Der Prozess. English. (Text)' editor shows fields for 'URI', 'Language' (set to 'English'), and 'Content type'.


4.1.3. Creating svde:Work-Instance entities

The relationship between svde:Work and Instance can be managed from svde:Work towards Instance.

- **If svde:Work does not exist:** create svde:Work first, then set up the relationship from svde:Work to Instance.
- **If Instance does not exist:** create the Instance first, then set up the relationship from svde:Work to Instance.
- **If neither Instance nor svde:Work exist:** create both entities, then set up the relationship from svde:Work to Instance.




Unlike the management of other entities, when creating an Instance, users are notified that the entity will not be visible on the portal until it is linked to an svde:Work.



4.1.4. Creation of Instance-Item entities

The relationship between an Instance and an Item can be managed from the Instance to the Item.

- **If the Item does not exist:** create the Item and configure the relationship from the Instance to the Item.
- **If neither the Item nor the Instance exists:** create both entities and configure the relationship from the Instance to the Item.



The screenshot displays two side-by-side panels. The left panel, titled "The Trial" (1999 edition), shows the "Has Item" section with a table containing one entry: "Copy no. i1786024293999" with a URI of "https://uat.natbib-lod.org/items/1786024293999". A red arrow points from this entry to the right panel. The right panel, titled "Copy no. i1786024293999", shows the "Item information" section with fields for "URI", "Barcode", "Holding institution", and "Call number". The "URI" field is populated with "https://uat.natbib-lod.org/items/1786024293999".

4.2. Creating terms from controlled vocabularies

As explained earlier in the editing actions section, users can add, modify, or remove attributes from controlled vocabularies using the methods outlined in section [3.1.2 Editing attributes from controlled vocabularies](#).


However, it's important to note that the controlled vocabularies used in the Share Family's Entity Knowledge Base may not cover all possible values needed by users.

IMPORTANT: in the Share Family Entity Knowledge Base, some controlled vocabularies are open (open refers to those controlled vocabularies to which the user can add new entries) while others are closed (closed refers to those controlled vocabularies to which the user CANNOT add new entries). However, this distinction in JCricket currently does not correspond to the actual management present in the Entity Knowledge Base: the situation will be aligned and made consistent as soon as possible.

Creation can be done from:


1. From the main screen

To add a new value to an existing attribute, select the + symbol located to the right of the screen.



The screenshot shows a user profile for 'Franz Kafka'. Under the 'Biographical information' section, there are four attributes: 'Birth date' (value: 1883), 'Death date' (value: 1924), 'Place of birth' (value: Prague), and 'Place of death' (value: Klosterneuburg (Austria)). Each attribute has a '+' button to the right of its value. The '+' button for 'Place of birth' is circled in red. At the bottom of the section, there is a blue button labeled 'Add property'.

The system adds an empty row at the end. To add a new value, type the string of the value you want to insert.



Franz Kafka

Biographical information

Birth date

1883

Death date

1924

Place of birth


Prague (<https://uat.natbib-lod.org/places/1786024099728>)

Place of death

Klosterneuburg (Austria) (<https://uat.natbib-lod.org/places/41780929192619>)

+ Add property

Based on the input, the system activates a dropdown menu with possible selectable values. If the system doesn't find any matching value based on the letters entered, it will offer the option to create a new value.



Franz Kafka

Biographical information

Birth date

1883

Death date

1924

Place of birth

+ Create a new Place called "Kalares" Enter

Calărași (Moldova : Raion) (<https://uat.natbib-lod.org/places/41754487421566>) Enter

Călărași (Moldova : Raion) (<https://uat.natbib-lod.org/places/41780929660070>) Enter

Kolare (Serbia) (<https://uat.natbib-lod.org/places/241754491117790>) Enter

Kalarash (Moldova) (<https://uat.natbib-lod.org/places/201754489524240>) Enter


Kalares

Place of death

Klosterneuburg (Austria) (<https://uat.natbib-lod.org/places/41780929192619>)


+ Add property

By choosing the option to create a new value, the system opens a new screen where you can provide detailed information about the value you want to create.



Users can specify the following details for the new value:

- **Main label in the Basic info section:** this refers to the preferred label in various linguistic formulations.



- **variant label using the Add property function,** which includes variant labels in various linguistic formulations.

Franz Kafka

Biographical information

Birth date

1883

Death date

1924

Place of birth

Cagliari

Prague

Place of death

Klosterneuburg (Austria)

Add property

Cagliari

https://uat.natbib-lod.org/places/1786024294004

Concept properties

Label

Cagliari

Cagliari

Kalaris

English (ENG)

Italian (ITA)

Latin (LAT)

Variant label

Karales

English (ENG)

Latin (LAT)

Add property

The new entry is saved automatically, and the value is added directly to the starting entity without needing any additional action from the user.

Franz Kafka

Biographical information

Birth date

1883

Death date

1924

Place of birth

Cagliari

Prague


Place of death

Klosterneuburg (Austria)

Add property

2) From the Property details and actions menu Provenance menu

To open the **Property details and actions menu**, select the icon with the three dots at the top right of each property.




The screenshot shows a web interface for 'Franz Kafka'. Under the heading 'Biographical information', there are several property entries:

- Birth date:** 1883
- Death date:** 1924
- Place of birth:** Cagliari (https://uat.natbib-lod.org/places/1786024294004) and Prague (https://uat.natbib-lod.org/places/1786024099728)
- Place of death:** Klosterneuburg (Austria) (https://uat.natbib-lod.org/places/41780929192619)

A red circle highlights the three dots icon at the top right of the 'Place of death' property entry, which is the target for opening the Provenance menu.

The system opens a dedicated menu composed as follows:

- Section Property details:** section with the additional information about the property, including:
 - Description:** description of the property from the reference ontology (BIBFRAME, RDA, MADS);
 - URI:** URI property in the reference ontology (BIBFRAME, RDA, MADS);
 - Datatype:** detailed information on the type of value expressed by the property, for example whether the permitted value is a string or a number, and whether it is a single- or multi-valued attribute;
- Section Actions:** section that include the **Provenance editor**: the menu allows you to add, edit and remove values associated with a property by viewing the details on each Provenance.




Property details (Place of death)
The town, city, province, state, and/or country in which a person died
URI: <http://www.loc.gov/mads/rdf/v1#deathPlace>
Datatype: Place, single value

Actions
Provenance editor

Sezione Actions - Provenance editor

To access the **Provenance editor**, select the option in the Action sections.



Property details (Place of death)
The town, city, province, state, and/or country in which a person died
URI: <http://www.loc.gov/mads/rdf/v1#deathPlace>
Datatype: Place, single value

Actions
Provenance editor

To add a new value, select the + icon located on the right side of the screen.

Franz Kafka

Provenance data

Place of death	Klosterneuburg (Austria) (https://uat.natbib-lod.org/places/41780929192619)	NLN	🗑️ ⊕
----------------	--	-----	--

End of 'Place of death' provenance statements

The system adds a blank row at the end of the list. To add a new value, type the desired value string into the row.

When users type in the desired value, the system activates a dropdown menu based on the entered letters. If it doesn't find a matching value, it suggests creating a new one.

Franz Kafka

Provenance data

Place of death	Klosterneuburg (Austria) (https://uat.natbib-lod.org/places/41780929192619)	NLN	🗑️ ⊕
	Santa Igia	NLN	🗑️ ⊕

End of 'Place of death' provenance statements

The system generates and immediately associates the newly created value.

Franz Kafka

Provenance data

Place of death				
		● Klosterneburg (Austria) (https://uat.natbib-lod.org/places/41780929192619)	NLN	+
		● Santa Igia (https://uat.natbib-lod.org/places/1786025603478)	NLN	+

End of 'Place of death' provenance statements

[Close](#)

By closing the Provenance screen with the **Close** button, you can further detail the newly created entry through the dedicated screen opened by the system.

Franz Kafka

1924

Place of birth

- **Cagliari** (<https://uat.natbib-lod.org/places/1786024294004>)
- **Prague** (<https://uat.natbib-lod.org/places/1786024099728>)

Place of death

- **Klosterneburg (Austria)** (<https://uat.natbib-lod.org/places/41780929192619>)
- **Santa Igia** (<https://uat.natbib-lod.org/places/1786025603478>)

[Add property](#)

Santa Igia

Metadata Logs

Basic info

URI

<https://uat.natbib-lod.org/places/1786025603478>

Concept properties

Label

	Santa Igia			+
			English (ENG)	+

[Add property](#)

Users can specifically add to the new value:

- **Main label in the Basic info section**, which is the preferred label in various linguistic formulations.

Franz Kafka

1924

Place of birth

- Cagliari** (<https://uat.natbib-lod.org/places/1786024294004>)
- Prague** (<https://uat.natbib-lod.org/places/1786024099728>)

Place of death

- Klosterneuburg (Austria)** (<https://uat.natbib-lod.org/places/41780929192619>)
- Santa Igia** (<https://uat.natbib-lod.org/places/1786025603478>)

Add property

Santa Igia

Metadata **Logs**

Basic info

URI

<https://uat.natbib-lod.org/places/1786025603478>

Concept properties

Label	
Santa Igia	English (ENG)
Santa Igia	Italian (ITA)

Add property

- **variant label through the Add property function**, which are variant labels in various linguistic formulations.

Franz Kafka

1924

Place of birth

- Cagliari** (<https://uat.natbib-lod.org/places/1786024294004>)
- Prague** (<https://uat.natbib-lod.org/places/1786024099728>)

Place of death

- Klosterneuburg (Austria)** (<https://uat.natbib-lod.org/places/41780929192619>)
- Santa Igia** (<https://uat.natbib-lod.org/places/1786025603478>)

Add property

Santa Igia

URI

<https://uat.natbib-lod.org/places/1786025603478>

Concept properties

Label	
Santa Igia	English (ENG)
Santa Igia	Italian (ITA)

Variant label	
Santa Gilla	English (ENG)


Add property

3. From the creation menu


As indicated in the introductory section of the paragraph, an entity can be created in JCricket in two ways:

- in relation to an already existing entity;
- from scratch.

To create a new entry from an already existing entity, select the + button located on the right side of the screen.




To create a new entry from scratch, after performing a search action, select the Editor tab located at the top right of the screen.



In both cases, the system opens a new screen that presents various functions:

- **References to the simple and advanced search functions**, through the options Explore and Search.



Find it via search
To view an entity here, open it through **explore** or **search** screens.

Open via ID

Create new...

Agent	Opus	Bibliographic	Concept	Controlled
Person	Original work	bf:Work	Date	vocabulary
Family		Instance	Genre/Form	Content type
Organization		Item	Topic	Carrier type
Conference			Place	Language
			Event	
			Generic concept	

By selecting **Explore**, users are redirected to the advanced search screen, while selecting **Search** redirects them to the simple search screen.

- **Searching for an entity via URI**

Find it via search

To view an entity here, open it through [explore](#) or [search](#) screens.

Open via ID

Create new...

Agent	Opus	Bibliographic	Concept	Controlled vocabulary
Person	Original work	bf:Work	Date	Content type
Family		Instance	Genre/Form	Carrier type
Organization		Item	Topic	Language
Conference			Place	
			Event	
			Generic concept	

Enter the exact URI of the entity and click Open.

Find it via search


To view an entity here, open it through [explore](#) or [search](#) screens.

Open via ID

Create new...

Agent	Opus	Bibliographic	Concept	Controlled vocabulary
Person	Original work	bf:Work	Date	Content type
Family		Instance	Genre/Form	Carrier type
Organization		Item	Topic	Language
Conference			Place	
			Event	
			Generic concept	

The system will directly open the entity corresponding to the entered URI.



The screenshot shows a web interface for an entity named 'Santa Igia'. The interface has a header with the entity name and a close button. Below the header, there are two tabs: 'Metadata' and 'Logs'. The 'Metadata' tab is active, showing a 'Basic info' section with a 'URI' field containing the value 'https://uat.natbib-lod.org/places/1786025603478'. Below this, there is a 'Concept properties' section with a table of labels and variant labels.

Label		
	Santa Igia	English (ENG)
	Santa Igia	Italian (ITA)

Variant label		
	Santa Gilla	English (ENG)

- Opening creation templates

Find it via search

To view an entity here, open it through [explore](#) or [search](#) screens.

Open via ID

Entity URI

Create new...

Agent	Opus	Bibliographic	Concept	Controlled vocabulary
Person	Original work	bf:Work	Date	Content type
Family		Instance	Genre/Form	Carrier type
Organization		Item	Topic	Language
Conference			Place	
			Event	
			Generic concept	


Users can select from various templates to create new entities:

- **Agent**, with subtypes: Person, Family, Organization, and Conference
- **Opus**, which includes only svde:Opus
- **Bibliographic**, which includes svde:Work, Instance, and Item entities
- **Concepts**, which include concepts that make up Subject entities (**ATTENTION**: the creation of the Subject entity is not yet present in JCricket)
- **Controlled vocabulary**, which includes controlled vocabularies for which it is possible to create a new entry, (such as places or languages). For more information on creating terms from controlled vocabularies, please see section [4.2 Creating terms from controlled vocabularies](#).

It should be noted, however, that both the section relating to the creation of Concepts and the terms associated with controlled vocabularies will be significantly revised in the near future.

To create a new entry, choose the desired type from the list provided in the **Concept** or **Controlled vocabulary** section.

Then, the system opens a new screen where the details of the new value can be specified further.



Bergam

Metadata Logs

Basic info

URI
https://uat.natbib-lod.org/places/1786024099745

Concept properties


Label

Bergam	English (ENG)	

+ Add property

The user can add the following details to the new value:

- **main label in the Basic info section**, representing the preferred label in various linguistic formulations.



Bergam

Metadata Logs

Basic info

URI
https://uat.natbib-lod.org/places/1786024099745


Concept properties

Label

Bergam	English (ENG)	
Bergam	French (FRE)	
Bergamo	Italian (ITA)	

+ Add property

- **variant labels can be added using the Add property function**, representing variant labels in various linguistic formulations.



In case you're creating a relation with an already existing entity, and add the newly created entry to the entity you are working on, add a new value corresponding to the property from the **main screen** or from the **Provenance menu**, as previously seen

After creating the new entry, copy its URI using the copy option located in the top right corner of the screen.

Bergam

Metadata

Logs

Basic info

URI

https://uat.natbib-lod.org/places/1786024099745

Copy URI to clipboard (https://uat.natbib-lod.org/places/1786024099745)

Concept properties

Label

Bergam	English (ENG)	
Bergam	French (FRE)	
Bergamo	Italian (ITA)	

Variant label

	English (ENG)	

Paste the URI to associate the newly created entry with the original entity.

Franz Kafka

Birth date

1883

Death date

1924

Place of birth

Cagliari (https://uat.natbib-lod.org/places/1786024294004)

Prague (https://uat.natbib-lod.org/places/1786024099728)

https://uat.natbib-lod.org/places/1786024099745

Bergam (https://uat.natbib-lod.org/places/1786024099745) (https://uat.natbib-lod.org/places/1786024099745)

Place of d

Santa Igia (https://uat.natbib-lod.org/places/1786025603478)

Add property

4.3 Provision Activity Management

The Entity Knowledge Base has recently undergone numerous updates aimed at improving data representation; these measures are part of an approach known as "granularization." As the term implies, granularization serves to break down complex data into discrete, atomic units, creating a structure that better aligns with the BIBFRAME ontology and the philosophy of Linked Open Data.

Based on these granularization efforts, properties have been formulated that go beyond merely expressing textual values, controlled vocabularies, or relationships between bibliographic entities; instead, they express relationships with complex objects. Identified by persistent URIs, these objects are generated and managed similarly to the portal's other entities—undergoing reconciliation and clustering processes—and serve to aggregate further entities from the Entity Knowledge Base.

The first complex object in the Entity Knowledge Base is the Provision Activity. This object captures the publication data of an Instance entity by grouping information regarding the publisher, place of publication, and publication date; these three components are themselves managed as entities, which are assembled in various combinations to generate distinct Provision Activity instances.

The clustering processes for Provision Activity are based on a mechanism involving a perfect match between components, where any variation triggers the creation of a new Provision Activity.


Some examples:

- INSTANCE 1 → London : HarperCollins, 2013
- INSTANCE 2 → Londo : HarperCollins, 2013
 - Reconciliation of the Provision Activity
- INSTANCE 3: London : HarperCollins, 2014
- INSTANCE 4: London : HarperCollins, 2016
 - Creation of two distinct Provision Activity

This reconciliation mechanism is applied automatically whenever a user creates or modifies a Provision Activity in JCricket. Specifically, upon the creation of a Provision Activity, the system automatically checks the Entity Knowledge Base to verify whether the newly created Provision Activity can be reconciled with an existing one. This same procedure is repeated whenever a user modifies one or more elements comprising the Provision Activity.

4.3.1 Steps for the creation of the Provision Activity

Open an Instance entity and navigate to the Publication provision activity property.




The screenshot shows the 'Aurora Leigh' entity editor. The 'Publication attributes' section is highlighted with a red box. It contains a 'Publication provision activity' field with a search icon and a plus sign. Below this field is an 'Add property' button.

Enter the values for the publication data of the Instance entity, which may include the place of publication, the publisher's name, and the date of publication.


NOTE: none of these values is mandatory; the Provision activity can be composed in various ways using one or more combined elements—for example, two places of publication and a publisher's name, just the year of publication, etc.

The system opens a drop-down menu containing the "Create a new Provision Activity" option. Select the option to create a new one.



The screenshot shows the 'Aurora Leigh' entity editor. The 'Publication provision activity' field is highlighted with a red box. A dropdown menu is open, showing the option '+ Create a new Provision Activity' with an 'Enter' button next to it.


The system automatically opens a new template, enabling the correct completion of all elements comprising the Provision Activity within the designated section labeled "**Provision Activity properties**."




Furthermore, a relationship is automatically created between the Instance entity and the Provision activity that the user creates.

This relationship is expressed graphically by:

- **BANNER:** the system displays a specific alert message in the Provision Activity template;



- **INSTANCE RELATIONSHIP:** The system displays the relationship already established for the Instance entity, in which the newly created Provision Activity is qualified by a URI. At this initial creation stage, the Provision Activity is designated as "without detail," as the user is still in the process of filling in the information.




The screenshot shows two side-by-side panels. The left panel is titled 'Aurora Leigh' and contains sections for 'Responsibility statement', 'Contributors', and 'Publication attributes'. The 'Publication attributes' section has a 'Publication provision activity' field highlighted with a red box, containing a link to 'Publication activity without details'. The right panel is titled 'Publication activity without details' and shows a form for editing a provision activity, with fields for 'URI', 'Publication place', 'Publisher', and 'Year of publication'.

The user proceeds to fill in the fields that make up the Provision Activity:

- **PUBLICATION PLACE**


The place of publication is configured as a relationship between the Provision Activity and the controlled vocabulary related to Places.

As user types, the system activates a dropdown menu with selectable values based on the entered letters.



The screenshot shows a form titled 'Cagliari (Italy)'. The 'Basic info' section has a 'URI' field with the value 'https://uat.natbib-lod.org/provisionActivities/1786024099789'. The 'Provision Activity properties' section has a 'Publication place' field with a dropdown menu open. The dropdown menu lists several options, each with a link to a specific place and an 'Enter' button. The options are: 'Cagliari (Italy) (https://uat.natbib-lod.org/places/41780929150337)', 'Cagliari (Italy) (https://uat.natbib-lod.org/places/41754486911833)', 'Cagliari (Italy : Province) (https://uat.natbib-lod.org/places/41780929254738)', 'Cagliari (Italy : Province) (https://uat.natbib-lod.org/places/41754487016234)', and 'Cagliari (https://uat.natbib-lod.org/places/81754488933192)'.

Users select one of the values offered by the menu, which is then associated with the entity.



Cagliari (Italy)

Basic info

URI
<https://uat.natbib-lod.org/provisionActivities/1786024099789>

Provision Activity properties

Publication place
 ● **Cagliari (Italy)** (<https://uat.natbib-lod.org/places/41780929150337>)


Publisher

Year of publication

Publication statement strings

Place string

L'utente può aggiungere più di un luogo di Pubblicazione selezionando + a destra della schermata.



Cagliari (Italy)

Basic info

URI
<https://uat.natbib-lod.org/provisionActivities/1786024099789>

Provision Activity properties

Publication place
 ● **Cagliari (Italy)** (<https://uat.natbib-lod.org/places/41780929150337>)


Publisher

Year of publication

Publication statement strings

Place string

Il sistema apre una riga vuota, in cui inserire un nuovo valore.



Cagliari (Italy)

Basic info

URI
<https://uat.natbib-lod.org/provisionActivities/1786024099789>

Provision Activity properties

Publication place

☒ **Cagliari (Italy)** (<https://uat.natbib-lod.org/places/41780929150337>)

☐ **Milano**

Publisher


Year of publication

Publication

+ Create a new Place called "Milano" Enter
 Milan (Ohio) (<https://uat.natbib-lod.org/places/41754487083859>) Enter
 Milan (Ohio) (<https://uat.natbib-lod.org/places/41780929322363>) Enter
 Milan (Italy) (<https://uat.natbib-lod.org/places/41754486957266>) Enter
 Milano Farenga (Musical group) (<https://uat.natbib-lod.org/places/41754486859943>) Enter

When there is more than one value, the user proceeds to manage:

- **IS LEADER VALUE:** the user can decide whether to make both values visible on the portal using the oval IsLeader icon;



Cagliari (Italy), Milano

Basic info

URI
<https://uat.natbib-lod.org/provisionActivities/1786025603523>

Provision Activity properties

Publication place

⋮	👁	● Cagliari (Italy) (https://uat.natbib-lod.org/places/41780929150337)	...	+
⋮	👁	● Milano (https://uat.natbib-lod.org/places/1786024099792)	...	+


Publisher

🔍 👤

Year of publication

🔍 ●

- **POSITION:** The user can change the order of the publication locations by selecting the icon with the six dots on the left and moving the items using the mouse.



Cagliari (Italy), Milano

Basic info

URI
<https://uat.natbib-lod.org/provisionActivities/1786025603523>

Provision Activity properties

Publication place

⋮	👁	● Cagliari (Italy) (https://uat.natbib-lod.org/places/41780929150337)	...	+
⋮	👁	● Milano (https://uat.natbib-lod.org/places/1786024099792)	...	+

Publisher

🔍 👤


Year of publication

🔍 ●

• PUBLISHER

The publisher is a relationship between the Provision Activity and an Agent who takes on the role of publisher.


When users enter letters, the system activates two search options: the first option searches for the typed string in **Simple search** mode, while the second option searches for the typed string in **Advanced search** mode.



When users select one of the two options, they are redirected to either the Simple search screen or the Advanced search screen. Both screens are pre-filled with the entered value.

IMPORTANT: The search methods are identical to those seen in the [Function 1: Search](#).

The system displays a list of results based on the entered string.




The screenshot shows the Share Family search interface. The top navigation bar includes links to Dashboard, Explore, Simple search (selected), Advanced search, and Editor. The search bar contains the text 'De Gruyter'. Below the search bar, there are three tabs: Publications (84), People and organizations (103) (selected), and Original works (87). The results are displayed as a list of entities, each with a checkbox, a red icon, and a name. The first three results are:

- ☐ Organization: **Walter de Gruyter & Co**
- ☐ Organization: **Dominicans** (Roman Catholic religious order, Also known as: *Orde de Predicadors*)
- ☐ Person: **Valderrábano, Enriquez de**


Below these, there is a fourth result: ☐ Person: **Gaarder, Jostein** (Born in 1952).

After selecting the entity of interest, users are redirected to the detail page of that entity.




The screenshot shows the detail page for 'Walter de Gruyter & Co'. The page features a large header with the entity name and a red icon. Below the header, there is a description: 'Walter de Gruyter GmbH, known as De Gruyter Brill, is a German scholarly publishing house specializing in academic literature. - Wikipedia'. Below this, there is a list of 'Also known as' names: 'De Gruyter & Co · De Gruyter Oldenbourg · Gruyter & Co · Vereinigung Wissenschaftlicher Verleger Walter de Gruyter & Co · Walter de Gruyter GmbH ...and 1 more'. The page also includes a 'Download' button and a 'More options' dropdown menu. Below the header, there is a section titled 'Publications by' with a search bar and filters for 'Publication year', 'Format', and 'Contributor'. The results section shows '4 results' and a 'Sort by (A - Z)' dropdown menu. The first result is '1. Minstature monuments : modeling German history (Volume in English)'.


Select **More options** and then choose the second function **Add to editor**.



Selecting this function create a relationship between the selected entity and the starting one.



Just as with the place of publication, you can link more than one publisher to the Provision Activity by selecting the + icon on the right side of the screen and performing a new search.



When there is more than one value, the user proceeds to manage:

- **IS LEADER VALUE:** The user can decide whether to make both values visible on the portal via the oval IsLeader icon;

- <https://share-family.org>
info@share-family.org
<https://wiki.share-family.org>

Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm)

Provision Activity properties

Publication place

⋮	👁	● Cagliari (Italy) (https://uat.natbib-lod.org/places/41780929150337)	...	+
⋮	👁	● Milano (https://uat.natbib-lod.org/places/1786024099792)	...	

Publisher

⋮	👁	👤 Walter de Gruyter & Co (https://uat.natbib-lod.org/agents/611780939381714)	...	+
		👤 Elsevier Science (Firm) (https://uat.natbib-lod.org/agents/471780939510214)	...	

Year of publication

- **PUBLICATION DATE**

The publication date is a relationship between the Provision Activity and a date.

Unlike the dates associated with other entities (such as the birth and death dates of Agents or the creation date of an Opus), the date within the Provision Activity is itself an entity with a persistent URI.

As users type, the system activates a dropdown menu with selectable values based on the entered letters.

Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm)

Publisher	
Walter de Gruyter & Co (https://uat.natbib-lod.org/agents/611780939381714)	...
Elsevier Science (Firm) (https://uat.natbib-lod.org/agents/471780939510214)	...

Year of publication	
2022	...

2022 (https://uat.natbib-lod.org/dates/1001781080808971) Enter

2022 (https://uat.natbib-lod.org/dates/1001781080808236) Enter

2022 (https://uat.natbib-lod.org/dates/1001781080813111) Enter

2022 (https://uat.natbib-lod.org/dates/1001781080812167) Enter

2022 (https://uat.natbib-lod.org/dates/1001781080811640) Enter

Users select one of the values offered by the menu, which is then associated with the entity.

Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022

	Cagliari (Italy) (https://uat.natbib-lod.org/places/41780929150337)	...	+
	Milano (https://uat.natbib-lod.org/places/1786024099792)	...	
Publisher			
	Walter de Gruyter & Co (https://uat.natbib-lod.org/agents/611780939381714)	...	+
	Elsevier Science (Firm) (https://uat.natbib-lod.org/agents/471780939510214)	...	
Year of publication			
	2022 (https://uat.natbib-lod.org/dates/1001781080808971)	...	+
Publication statement strings			
Place string			
		...	+

Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023

⋮	👁	● Cagliari (Italy) (https://uat.natbib-lod.org/places/41780929150337)	...	+
⋮	👁	● Milano (https://uat.natbib-lod.org/places/1786024099792)	...	+

Publisher

⋮	👁	● Walter de Gruyter & Co (https://uat.natbib-lod.org/agents/611780939381714)	...	+
⋮	👁	● Elsevier Science (Firm) (https://uat.natbib-lod.org/agents/471780939510214)	...	+

Year of publication

⋮	👁	● 2022 (https://uat.natbib-lod.org/dates/1001781080808971)	...	+
⋮	👁	● 2023 (https://uat.natbib-lod.org/dates/1001781080827792)	...	+

Publication statement strings

Place string

- **POSITION:** The user can change the order of the publication locations by selecting the icon with the six dots on the left and moving the items using the mouse.

Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023

⋮	👁	● Cagliari (Italy) (https://uat.natbib-lod.org/places/41780929150337)	...	+
⋮	👁	● Milano (https://uat.natbib-lod.org/places/1786024099792)	...	

Publisher

⋮	👁	👤 Walter de Gruyter & Co (https://uat.natbib-lod.org/agents/611780939381714)	...	+
⋮	👁	👤 Elsevier Science (Firm) (https://uat.natbib-lod.org/agents/471780939510214)	...	


Year of publication

⋮	👁	● 2022 (https://uat.natbib-lod.org/dates/1001781080808971)	...	+
⋮	👁	● 2023 (https://uat.natbib-lod.org/dates/1001781080827792)	...	


Publication statement strings

Place string

Contextually with the addition of each element making up the Provision Activity, the system updates the relationship with the Instance entity; this relationship is expressed including the correct ISBD punctuation, which is automatically generated by the system.




The user can add more than one Provision Activity to an Instance entity by selecting the + icon on the right side of the screen.



4.3.2 Management of the Publication statement strings


In the menu for completing the Provision Activity, in addition to the tabs for entering details regarding the place of publication, the publisher, and the date of publication, there is a section named **Publication statement strings**




This section allows the user to enter publication data for an Instance entity exactly as indicated in the bibliographic resource being managed (*Take what you see*).

The Publication statement strings section is made of:

- **PLACE STRING:** name of the place of publication as a text value;
- **PUBLISHER STRING:** name of the publisher as a text value;
- **DATE STRING:** date of publication in text format.



The user can add more than one value for all three fields by selecting the + symbol on the right side of the screen.



Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023

Icon	Value	Link	More	Action
👁	2022	(https://uat.natbib-lod.org/dates/1001781080808971)	...	+
👁	2023	(https://uat.natbib-lod.org/dates/1001781080827792)	...	+

Publication statement strings

Place string

Icon	Value	More	Action
👁	Cagliari	...	+
👁	Milano	...	+

Publisher string

Icon	Value	More	Action
👁	De Gruyter	...	+
👁	Elsevier publisher	...	+

Date string

Icon	Value	More	Action
👁	2022-2023	...	+

The system opens a blank line in which to enter a new value.

Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023

Publication statement strings

Place string

⋮	⦿	Cagliari	...	+
⋮	⦿	Milano	...	
⋮	○		...	

Publisher string

⋮	⦿	De Gruyter	...	+
⋮	⦿	Elsevier publisher	...	
⋮	○		...	

Date string

⋮	⦿	2022-2023	...	+
⋮	○		...	

When there is more than one value, the user proceeds to manage:

- IS LEADER VALUE:** The user can decide whether to make all values visible on the portal via the IsLeader oval icon;

Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023

⋮	👁	● 2022 (https://uat.natbib-lod.org/dates/1001781080808971)	...	+
⋮	👁	● 2023 (https://uat.natbib-lod.org/dates/1001781080827792)	...	

Publication statement strings

Place string

⋮	👁	Cagliari	...	+
⋮	👁	Milano	...	

Publisher string

⋮	👁	De Gruyter	...	+
⋮	👁	Elsevier publisher	...	

Date string

⋮	👁	2022-2023	...	+
---	---	-----------	-----	---

- POSITION:** The user can change the order of the values by selecting the icon with the six dots on the left and moving the values with the mouse.

Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023

⋮	👁	● 2022 (https://uat.natbib-lod.org/dates/1001781080808971)	...	
⋮	👁	● 2023 (https://uat.natbib-lod.org/dates/1001781080827792)	...	+

Publication statement strings

Place string ...

⋮	👁	Cagliari	...	
⋮	👁	Milano	...	+

Publisher string ...

⋮	👁	De Gruyter	...	
⋮	👁	Elsevier publisher	...	+


Date string ...

⋮	👁	2022-2023	...	+
---	---	-----------	-----	---

In addition, the user can perform two further actions:

- display **Menu Property details and actions**

To open the **Property details and actions menu**, select the icon with the three dots at the top right



The system opens a dedicated menu composed as follows:

- **Section Property details:** section with the additional information about the property, including:
 - **Datatype:** detailed information on the type of value expressed by the property, for example whether the permitted value is a string or a number, and whether it is a single- or multi-valued attribute;

Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023

...	2022	(https://uat.natbib-lod.org/dates/1001781080808971)	...	+
...	2023	(https://uat.natbib-lod.org/dates/1001781080827792)	...	

Publication statement strings

Place string

...	Cagliari	Property details (Place string) Datatype: Text string, multi value
...	Milano	

Publisher string

...	De Gruyter	...	+
...	Elsevier publisher	...	

Date string

...	2022-2023	...	+
-----	-----------	-----	---

- **Delete the value**

To delete a text value, select the three-dot icon on the right side of the screen.

Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023

...	2022	(https://uat.natbib-lod.org/dates/1001781080808971)	...	+
...	2023	(https://uat.natbib-lod.org/dates/1001781080827792)	...	

Publication statement strings

Place string			...	+
...	Cagliari	...	...	
...	Milano	...	...	+

Publisher string			...	+
...	De Gruyter	...	...	
...	Elsevier publisher	...	...	+

Date string			...	+
...	2022-2023	...	...	

Confirm the cancellation with **Delete value**.

Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023

⋮	👁	● 2022 (https://uat.natbib-lod.org/dates/1001781080808971)	...	+
⋮	👁	● 2023 (https://uat.natbib-lod.org/dates/1001781080827792)	...	

Publication statement strings

Place string

⋮	👁	Cagliari	...	+
⋮	👁	Milano	...	

Delete value

Publisher string

⋮	👁	De Gruyter	...	+
⋮	👁	Elsevier publisher	...	

Date string


⋮	👁	2022-2023	...	+
---	---	-----------	-----	---

4.3.3 Change of the Provision Activity

The user can perform various actions on an existing Provision Activity:


- **Menu Property details and actions**

To open the **Property details and actions menu**, select the icon with the three dots at the top right.




The system opens a dedicated menu composed as follows:

- **Section Property details:** section with the additional information about the property, including:
 - **Description:** description of the property from the reference ontology (BIBFRAME, RDA, MADS);
 - **URI:** URI property in the reference ontology (BIBFRAME, RDA, MADS);
 - **Datatype:** detailed information on the type of value expressed by the property, for example whether the permitted value is a string or a number, and whether it is a single- or multi-valued attribute;




- **Delete the relationship**

To delete the relationship between an Instance entity and a Provision activity, select the three-dot icon on the right side of the screen.



Select the option **Provenance editor**.



The system displays the relationship between the Instance and the Provision Activity, in association with the provenance of the library that created that relationship.

• “Aurora Leigh” (2022 and 2023 edition)

Provenance data

Publication provision activity	● Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023 (https://uat.natbib-lod.org/provisionActivities/1786024294088)	NLN	🗑️ +
--------------------------------	--	-----	------

👤 End of 'Publication provision activity' provenance statements

Close

To delete an existing relationship, select the *trash can* icon located to the right of each value.

• “Aurora Leigh” (2022 and 2023 edition)

Provenance data

Publication provision activity	● Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023 (https://uat.natbib-lod.org/provisionActivities/1786024294088)	NLN	🗑️ +
--------------------------------	--	-----	------

👤 End of 'Publication provision activity' provenance statements

Close

From this menu it is also possible to associate a new Provision Activity with the Instance entity by selecting the + icon on the right side of the screen.

• "Aurora Leigh" (2022 and 2023 edition)

Provenance data

Publication provision activity	 Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023 (https://uat.natbib-lod.org/provisionActivities/1786024294088)	NLN	 
--------------------------------	--	-----	---

End of 'Publication provision activity' provenance statements

[Close](#)

• Change the Provision Activity

To modify a Provision Activity associated with an Instance entity, select the corresponding pencil icon on the right side of the screen.

• "Aurora Leigh" (2022 and 2023 edition)

Responsibility statement

				...	+
	by Elizabeth Barrett Browning		English (ENG)	...	+

Contributors


Contributor	...
	

Publication attributes


Publication provision activity	...
  Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023 (https://uat.natbib-lod.org/provisionActivities/1786024294088)	 

[Add property](#)

The system automatically opens the screen displaying detailed information about the Provision Activity.




The user is notified of the modification action by a specific message displayed at the top of the screen.



From this screen, the user can perform various actions:


- **Menu Property details and actions**

To open the **Property details and actions menu**, select the icon with the three dots at the top right.



The system opens a dedicated menu composed as follows:

- **Section Property details:** section with the additional information about the property, including:
 - **Datatype:** detailed information on the type of value expressed by the property, for example whether the permitted value is a string or a number, and whether it is a single- or multi-valued attribute;




The screenshot shows a web interface for managing a 'Provision Activity'. The URL is <https://uat.natbib-lod.org/provisionActivities/1786024294088>. The interface is titled 'Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023'.

Provision Activity properties

- Publication place**: A list of locations. A tooltip for 'Cagliari (Italy)' shows 'Property details (Publication place)' and 'Datatype: Place, multi value'.
- Publisher**: A list of publishers. 'Walter de Gruyter & Co' and 'Elsevier Science (Firm)' are listed with their respective identifiers.
- Year of publication**: A list of years. '2022' is listed with its identifier.

- **Delete the relationship**

To delete the relationship between the Provision Activity and its components (location, publisher, year), select the three-dot icon on the right side of the screen.



Provision Activity properties

Publication place

...	● Cagliari (Italy) (https://uat.natbib-lod.org/places/41780929150337)	...	More actions
...	● Milano (https://uat.natbib-lod.org/places/1786024099792)	...	


Publisher

...	● Walter de Gruyter & Co (https://uat.natbib-lod.org/agents/611780939381714)	...	
...	● Elsevier Science (Firm) (https://uat.natbib-lod.org/agents/471780939510214)	...	+

Year of publication

...	● 2022 (https://uat.natbib-lod.org/dates/1001781080808971)	...	+
-----	---	-----	---

The system displays the relationship between the Provision Activity and the specific component selected, in conjunction with the provenance of the library that created that relationship.



Provenance data

Publication place	● Cagliari (Italy) (https://uat.natbib-lod.org/places/41780929150337)	NLN	🗑️ +
--------------------------	---	-----	------


🔊 End of 'Publication place' provenance statements

[Close](#)

To delete an existing relationship, select the *trash can* icon located to the right of each value.



From this menu, you can also add a new value by selecting the + icon on the right side of the screen.



As previously mentioned in the introductory paragraph, any modification made to a Provision Activity (such as adding or removing a value) triggers a restart of the clustering and reconciliation processes. Effectively, the modified Provision Activity is treated as an object (or cluster) distinct from the original, resulting in the assignment of a different URI.

The system notifies the user of this change via a dedicated alert message displayed at the top of the screen.

Cagliari (Italy), Milano : Walter de Gruyter & Co, 2022, 2023


This Provision Activity is related to 1 Instance.

☐
I want to edit this Provision Activity for all (1) related Instances.

Metadata
Logs

Basic info

URI


<https://uat.natbib-lod.org/provisionActivities/1786024101781>


Provision Activity properties

Publication place

		 Cagliari (Italy) (https://uat.natbib-lod.org/places/41780929150337)		
		 Milano (https://uat.natbib-lod.org/places/1786024099792)		

Publisher

	 Walter de Gruyter & Co (https://uat.natbib-lod.org/agents/611780939381714)		
---	---	---	---

Using this banner, the user can confirm that the change made to the Provision Activity should be reflected in the relationship with the associated Instance by selecting the appropriate confirmation checkbox.

Cagliari (Italy), Milano : Walter de Gruyter & Co, 2022, 2023

✖

This Provision Activity is related to 1 Instance.

☐

I want to edit this Provision Activity for all (1) related Instances.

Metadata
Logs

Basic info

URI

https://uat.natbib-lod.org/provisionActivities/1786024101781

Provision Activity properties

Publication place

Cagliari (Italy)
(https://uat.natbib-lod.org/places/41780929150337)

Milano
(https://uat.natbib-lod.org/places/1786024099792)

Publisher

Walter de Gruyter & Co
(https://uat.natbib-lod.org/agents/611780939381714)

The system opens a new menu, allowing you to cancel the action using the **Close** button or confirm it using the **Confirm** button.

Please confirm your choice

⚠

Warning: You chose to apply any changes you make to this Provision Activity to all the Instances related to it.

Your changes will affect all related Instances (1 in total).

Do you really want to proceed?


- https://uat.natbib-lod.org/instances/1786025603510

Close

Confirm


Following this action, the system proceeds to:

- Maintain the relationship between the Instance entity and the preceding Provision Activity;



The screenshot displays two panels. The left panel, titled "Aurora Leigh" (2022 and 2023 edition), shows the "Contributors" section with a search bar and a list of "Publication provision activity". The first entry is highlighted with a red box: "Cagliari (Italy), Milano : Walter de Gruyter & Co ; Elsevier Science (Firm), 2022, 2023" with the URI <https://uat.natbib-lod.org/provisionActivities/1786024294088>. The right panel, titled "Cagliari (Italy), Milano : Walter de Gruyter & Co, 2022, 2023", shows the "Metadata" section with a "Basic info" tab. The "URI" field is set to <https://uat.natbib-lod.org/provisionActivities/1786024101781>. The "Provision Activity properties" section shows "Publication place" with "Cagliari (Italy)" and "Milano", "Publisher" as "Walter de Gruyter & Co", and "Year of publication" as "2022".

- Automatically add the relationship between the Instance entity and the new Provision Activity.




This screenshot is similar to the previous one, but with a red arrow pointing from the URI of the first provision activity in the left panel to the URI field in the right panel, indicating the automatic relationship creation. The left panel shows the same list of provision activities, with the second entry, "Cagliari (Italy), Milano : Walter de Gruyter & Co, 2022, 2023" with the URI <https://uat.natbib-lod.org/provisionActivities/1786024101781>, highlighted with a red box. The right panel shows the same metadata for the second provision activity.

Function 5: Delete

The deletion function enables users to delete specific entities.


To delete an entity, users should select the **More options** menu on the entity's detail page. Prior actions include searching for the entity ([Function 1: Search](#)) and logging into the portal's restricted area ([Function 2: Login](#)).

Select **Delete this entity**.



The system asks for confirmation before proceeding with the deletion, notifying the user about potential impacts on other connected entities.

Note: The deletion action does not impact the connected entities. The relationships are retained even after deletion. Therefore, the user **must** verify these relationships and update them accordingly.



Users can choose to:

- not proceed with the deletion action by selecting **Cancel**.

Are you sure you want to delete this entity?

2 other entities will be affected by this action.

If you delete **Medeiros, Giovana**, these 2 entities will be affected by the action:

Easter
Type: Original work
Creators:
1
Medeiros, Giovana (artist)
Identifier: o1331781085553911


Easter. English. (Still image,Text)
Type: bf:Work
Identifier: w1331781085553947
Contributors:
2
Medeiros, Giovana (artist)

End of list

Warning: This action cannot be undone.

Cancel
Confirm deletion

- confirm the deletion action by selecting **Confirm deletion**. Please note that the deletion action is irreversible.



When an entity is removed, it becomes invalidated and is no longer visible on the portal, except for advanced-level users accessing JCricket. The entity cannot be modified in any way, and its invalidated status is indicated with a specific message and graphical symbol.

Graphical indicators used for showing the invalidated status include:

- **BANNER:** displayed on the detail page of the entity.

✖ This entity has been invalidated.

Person ⓘ

Medeiros, Giovana

Illustrator and illustratør. Born in 19.

Download ▾

More options ▾

Original works by

Publications by

1 result

☐ No.	Title	Year	Genre	Creators	
☐ 1	 Easter			 Medeiros, Giovana (artist)	...

- **BLOCK SYMBOL:** displayed next to the entity in a list, represented by a blocked circle.

All results (15)
 People and organizations (4)
 Original works (11)

14 results found

 Person
Carroll, Lewis 

 Person
Carroll, Lewis ⓘ
Matematician, teacher and producer. Born in 1832 in Daresbury. Died in 1898 in Guildford.

 Person
Carroll, Alfred Ludlow  
Born in 1833 in London. Died in 1893 in Rome.

 Original work
Alice in Wonderland (Motion picture : 2010)
2010 fantasy films.
About a related publication: Based on "Alice's adventures in Wonderland" and "Through the looking-glass" by Lewis Carroll

 Original work
La B. Angela da Foligno e S. Francesco d'Assisi
Article.
Created by *Carroll, Adam (Adam Paul)*.

 Original work

Function 6: Merge

The merge function allows the user to perform actions to merge duplicate entities.

6.1. The role of Merge lists

A **Merge list** in JCricket is used to manage the process of merging two or more entities. This process involves:

- Selecting entities that may be duplicates and need to be merged.
- Reviewing these entities in a list before completing the merge.

This system allows users to review and remove any entities from the list before the merge is finalized, reducing the risk of errors.

6.2. The role of the reviewer

In JCricket, the merging feature includes a review process to ensure accuracy. Merging actions require verification and confirmation by a reviewer, who is assigned by the user creating the merge list.

The reviewer must be an advanced user and can be from any library.

Merging actions cannot be completed without another user verifying and confirming the correctness of the merging action.

The reviewer is assigned by the same user who created the Merge list and is working on merging the entities. The reviewer can be a user from any other library, as long as they are an advanced user.

The merging action can only be completed after the reviewer confirms its correctness.

6.3. Workflow for the Merge action

The complete workflow for managing entity merging in JCricket involves the following steps:

6.3.A. *From the creation of the Merge list to the assignment of the reviewer*

To apply a merge action to an entity, users must select the **More options** menu on the entity's detail page. Before this, the user needs to search for the entity ([Function 1: Search](#)) and log into the portal's secure area ([Function 2: Login](#)).

Once in the More Options menu, the user selects **Add to a new merge list**.

Publication

History, scripture, and authority in the Carolingian empire

Volume. Published in English in 2022 in Oxford by Oxford University Press.

Publication statement

Oxford : Oxford University Press, 2022

BNB: GBC17992

NBN: GBC17992

Media type: Unmediated

Carrier type: Volume

Explore this on The British Library website

Download

Editor options

Edit

CTRL+ALT+T

Add to a new merge list

Delete this entity

ALT+SHIFT+D

Copy URI for this page

<https://uat.natbib-lod.org/publications/1331781085543836>

Copy


Related agents

Filter agents...

Q

Type

The system adds the entity to a new Merge list. Users can open and view this list by clicking the arrow icon in the top right corner of the screen.



board
lead notifications

Explore
History, scripture, and
authority in the...

Simple search
harry potter

Advanced search
Title begins with history

Editor

Options

Ward... > > "History, scripture, and authority in t... > History, scripture, and authority in

Entity is locked for editing. You added it to a merge list.

Publication

History, scripture, and authority in the

Volume. Published in English in 2022 in Oxford by Oxford University Press.

Publication statement

Oxford : Oxford University Press, 2022

BNB: GBC17992

NBN: GBC17992

Media type: Unmediated

Carrier type: Volume

Explore this on The British Library website

Download

More options

My merge list

There is one merge list in your space.

Currently selected list:

No destination selected

Merging 1 publication ("History, scripture, and authority in the Carolingian empire")

History, scripture, and authority in the Carolingian empire (Volume in Ingles)

p1331781085543836


View instructions

Choose destination


When an entity is added to a Merge list, the system locks it to prevent modifications or additions to other merge lists.

The graphical solutions for notification display are:

- **ALERT POP UP:** when adding an entity to a merge list, the system displays an alert to inform the user that the entity will be blocked



- **BANNER:** displayed on the detail page of an entity.



- **LOCK SYMBOL**, displayed next to an entity within a list, indicated by a padlock icon.

Publication results

Filter publications...

3 results

Sort by (A - Z)

☐	1	History, scripture, and authority in the Carolingian empire (Volume in English)  Related bf:Work:  History, scripture, and authority in the Carolingian empire. English. (Text) Contributors:  Oxford University Press (publisher)  Ward, Graeme (author) Publication statement: Oxford : Oxford University Press, 2022	...
☐	2	History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux (Online resource in English) Related bf:Work:  History, scripture, and authority in the Carolingian empire. English. (Text) Contributors:  Oxford University Press (publisher)  Ward, Graeme (author) Publication statement: Oxford : Oxford University Press, 2022	...

The next step is to add another entity to the list by selecting again the menu **More options**.

When choosing to add an entity to a Merge list, users have two options:

- **Add to a new Merge list**

Ward... > "History, scripture, and authority in t... > History, scripture, and authority in the... > "History, scripture, and authority in the Caro...

Publication ⓘ

History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux

Online resource. Published in English in 2022 in Oxford by Oxford University Press.

Publication statement
Oxford : Published for The British Academy by Oxford University Press, 2022

BNB: GBC273264
NBN: GBC273264
Media type: Computer
Carrier type: Online resource
Note: This edition also issued in print: 2022

Explore this on The British Library website [↗](#) Download ▾

Editor options

Edit

Add to merge list...

Delete this entity ALT+SHIFT+D

Copy URI for this page

<https://uat.natbib-lod.org/publications/1331781085570417> Copy

This option adds the entity to a new Merge list, allowing users to manage multiple lists simultaneously.

ad notifications authority in the...

Ward... > "History, scripture, and authority in t... > History, scripture, and authority in

Entity is locked for editing. You added it to a merge list.

Publication ⓘ

History, scripture, and authority in the Frechulf of Lisieux

Online resource. Published in English in 2022 in Oxford by Oxford University Press

Publication statement
Oxford : Published for The British Academy by Oxford University Press, 2022

BNB: GBC273264
NBN: GBC273264
Media type: Computer
Carrier type: Online resource
Note: This edition also issued in print: 2022

Explore this on The British Library website [↗](#) Download ▾ More options ▾

My merge list

There are 2 merge lists in your space.

Currently selected list:


➤ No destination selected ▾

Merging 1 publication ("History, scripture, and authority in the Carolingian empire")

History, scripture, and authority in the Carolingian empire (Volume in Inglese)
p1331781085543836

View instructions Choose destination >

Users can switch between lists by opening the appropriate menu from the Merge list.



The screenshot shows the 'History, scripture, and authority in the Frechulf of Lisieux' publication page. A modal titled 'My merge list' is open, showing two existing merge lists. Red arrows point from the 'Add to merge list' button on the publication page to the modal.

Publication

History, scripture, and authority in the Frechulf of Lisieux

Online resource. Published in English in 2022 in Oxford by Oxford University Press.

Publication statement
Oxford : Published for The British Academy by Oxford University Press, 2022

BNB: GBC273264
NBN: GBC273264
Media type: Computer
Carrier type: Online resource
Note: This edition also issued in print: 2022

[Explore this on The British Library website](#) Download More options

My merge list

There are 2 merge lists in your space.

Currently selected list:

- No destination selected
Merging 1 publication ("History, scripture, and authority in the Frechulf of Lisieux")

Publications

- No destination selected
Merging 1 publication ("History, scripture, and authority in the Carolingian empire")
- No destination selected
Merging 1 publication ("History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux")

+ New merge list

- Add to the existing Merge list



The screenshot shows the 'History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux' publication page. A modal titled 'Editor options' is open, showing the 'Add to merge list' button. A red arrow points from the 'Add to merge list' button on the publication page to the modal.

Publication

History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux

Online resource. Published in English in 2022 in Oxford by Oxford University Press.

Publication statement
Oxford : Published for The British Academy by Oxford University Press, 2022

BNB: GBC273264
NBN: GBC273264
Media type: Computer
Carrier type: Online resource
Note: This edition also issued in print: 2022

[Explore this on The British Library website](#) Download


Editor options

- Edit
- Add to merge list: Add to: Merging 1 publication ("History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux")
- Delete this entity

Copy URI for this page
<https://uat.natbib-lod.org/publications/1331781085570417> Copy

This option allows users to add the entity to an already existing list.

In Merge lists, users can add more than two entities at once, enabling the simultaneous merging of multiple entities.




The screenshot displays the 'History : a children's encyclopedia' publication page. The page includes a breadcrumb trail: "History" > History. English. (Cartographic image,...) > "History : a children's encyclopedia". A notification bar at the top states: "Entity is locked for editing. You added it to a merge list." The publication details show it was published in English in 2022 in London by Fig Tree. The publication statement is "London : DK Children, 2022". The BNB and NBN numbers are GBC217667. The media type is Unmediated and the carrier type is Volume. There are buttons for "Explore this on The British Library website", "Download", and "More options". A "Related agents" section is also visible.

Overlaid on the right is the "My merge list" modal. It indicates there is one merge list in the space. The currently selected list is "No destination selected", which is merging 3 publications including "History, scripture, and authority in the Carolingian empire". The list contains three items:

- History, scripture, and authority in the Carolingian empire (Volume in Inglese) p1331781085543836
- History : a children's encyclopedia (Volume in Inglese) p1331781085558325
- History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux (Risorsa online in Inglese)

At the bottom of the modal are links for "View instructions" and a "Choose destination" button.

From the Merge list, users can return to the detail page of the selected entity by selecting it from the list.



The screenshot shows the 'History : a children's encyclopedia' publication page. The page includes a breadcrumb trail: "History" > "History. English. (Cartographic image,..." > "History : a children's encyclopedia". The publication details are: Volume. Published in English in 2022 in London by Fig Tree. Publication statement: London : DK Children, 2022. BNB: GBC217667, NBN: GBC217667, Media type: Unmediated, Carrier type: Volume. There are buttons for 'Explore this on The British Library website', 'Download', and 'More options'. A 'Related agents' section is also visible.

The 'My merge list' modal is open, showing 'There is one merge list in your space.' and 'Currently selected list:'. It lists 'No destination selected' and 'Merging 2 publications including "History, scripture, and authority in the Carolingian empire"'. Two items are listed in the merge list, both titled 'History, scripture, and authority in the Carolingian empire'. The first item is '(Volume in Inglese)' with identifier p1331781085543836. The second item is 'Frechulf of Lisieux (Risorsa online in Inglese)' with identifier p1331781085570417. A red box highlights the first item. Arrows indicate the selection process. At the bottom of the modal are 'View instructions' and 'Choose destination' buttons.

In addition to the **More options** menu, users can select entities to add to a Merge list from search result lists and the detailed lists on each entity's page. Selection is possible in two ways:

1. Individual selection

Users can add entities individually to a Merge list either from a simple/advanced search result list or from the detailed lists on each entity's page. For selecting from a search result list, refer to 2. Multiple Selection.

On the detail pages, entities are often shown in association with other related entities. For example, Agents are associated with the list of Opuses they have authored.



[Wikimedia Commons](#)

Person

Browning, Elizabeth Barrett

Writer and poet. Born in 1806 in Durham (England). Died in 1861 in Florence (Italy).

Elizabeth Barrett Browning was an English poet of the Victorian era, popular in Britain and the United States during her lifetime and frequently anthologised after her death. Her work received renewed attention following the feminist scholarship of the 1970s and 1980s, and greater recognition of women writers in English. Born in County Durham, the eldest of 12 children, Elizabeth Barrett wrote poetry from the age of eleven. Her mother's collection of her poems forms one of the largest extant collections of juvenilia by any English writer. At 15, she became ill, suffering intense head and spinal pain for the rest of her life. Later in life, she also developed lung problems, possibly tuberculosis. She took laudanum for the pain from an early age, which is likely to have contributed to her frail health. - Wikipedia

Also known as: אליזבת ברוינג, בראונינג · Browning, Mrs · Barrett Browning, Elizabeth · Barrett-Browning, Elizabeth · Barrett, Elizabeth Barrett ...and 2 more

Download

More options

Original works by

Publications by

Filter original works...



Creator

Genre

9 results

No. Title

1 Be it so

Creators

Ansnes, Jostein (composer, undefined)
Asbjørnsen, Kristin (composer, undefined)
Browning, Elizabeth Barrett (lyricist)
Meisjord, Sondre (producer)
Bernhoft, Jarle (producer)
Lien, Lars (producer)
Torkildsen, Magnus (producer)
Holme, Rune (producer)
Waadeland, Carl H. (undefined)
Engen, Øyvind (undefined)

+1 more

To add one of the Opuses to a merge list, select the three dots located on the right side of the screen.

Original works by Publications by

Filter original works... | Q Creator Genre

9 results

No.	Title	Creators
1	Be it so	- Ansnes, Jostein (composer, undefined) - Asbjørnsen, Kristin (composer, undefined) - Browning, Elizabeth Barrett (lyricist) - Meisfjord, Sondre (producer) - Bernhoft, Jarle (producer) - Lien, Lars (producer) - Torkildsen, Magnus (producer) - Holme, Rune (producer) - Waadeland, Carl H. (undefined) - Engen, Øyvind (undefined) + 1 more
2	Cry of the children	- Browning, Elizabeth Barrett (lyricist) - Bjørnstad, Ketil (producer)
3	Free heart	- Ansnes, Jostein (composer, undefined) - Asbjørnsen, Kristin (composer, undefined)

The selected entity is then added to the Merge list.

Original works by Publications by

Filter original works... | Q Creator Genre

9 results

No.	Title	Creators
1	Be it so	- Ansnes, Jostein (composer, undefined) - Asbjørnsen, Kristin (composer, undefined) - Browning, Elizabeth Barrett (lyricist) - Meisfjord, Sondre (producer) - Bernhoft, Jarle (producer) - Lien, Lars (producer) - Torkildsen, Magnus (producer) - Holme, Rune (producer) - Waadeland, Carl H. (undefined) - Engen, Øyvind (undefined) + 1 more
2	Cry of the children	- Browning, Elizabeth Barrett (lyricist) - Bjørnstad, Ketil (producer)
3	Free heart	- Ansnes, Jostein (composer, undefined) - Asbjørnsen, Kristin (composer, undefined)

Edit
Add to a new merge list

2. Multiple selection

To add multiple entities to a Merge list, users should begin by selecting a search results list obtained from a simple/advanced search.

From the search list, users can check two or more results.

Search for a publication for which

Simple search ^

title

begins with

History

AND

+

Clear all

Search

Publication results

Filter publications...

Format

Publication place

Contributor

3 results

Sort by (A - Z)

☒ 1

History, scripture, and authority in the Carolingian empire (Volume in English)

Related bf:Work: History, scripture, and authority in the Carolingian empire. English. (Text)

 Contributors:

Oxford University Press (publisher)
 Ward, Graeme (author)

 Publication statement:
 Oxford : Oxford University Press, 2022

☒ 2

History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux (Online resource in English)

Related bf:Work: History, scripture, and authority in the Carolingian empire. English. (Text)

 Contributors:

Oxford University Press (publisher)
 Ward, Graeme (author)

 Publication statement:
 Oxford : Oxford University Press, 2022

☐ 3

History : a children's encyclopedia (Volume in English)

2 publications selected

Show selected

Deselect all

+ Add to a new merge list

Select the **Add to a new merge list** option located at the bottom right of the screen.

Search for a publication for which

Simple search ^

title

begins with

History

AND

+

Clear all

Search

Publication results

Filter publications...

Format

Publication place

Contributor

3 results

Sort by (A - Z)

1

History, scripture, and authority in the Carolingian empire (Volume in English)

Related bf:Work: History, scripture, and authority in the Carolingian empire. English. (Text)

Contributors: Oxford University Press (publisher), Ward, Graeme (author)

Publication statement: Oxford : Oxford University Press, 2022

2

History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux (Online resource in English)

Related bf:Work: History, scripture, and authority in the Carolingian empire. English. (Text)

Contributors: Oxford University Press (publisher), Ward, Graeme (author)

Publication statement: Oxford : Oxford University Press, 2022

3

History : a children's encyclopedia (Volume in English)

2 publications selected

Show selected

Deselect all

Add to a new merge list

All the entities selected from the results list are added to the Merge list.

Dashboard

24 unread notifications

Explore

History, scripture, and authority in the...

Simple search

barry

Advanced search

Title begins with history

Editor

Options

Ward...

"History, scripture, and authority in t...

History, scripture, and authority in

Entity is locked for editing. You added it to a merge list.

Publication

History, scripture, and authority in the Frechulf of Lisieux

Online resource. Published in English in 2022 in Oxford by Oxford University Press

Publication statement

Oxford : Published for The British Academy by Oxford University Press, 2022

BNB: GBC273264

NBN: GBC273264

Media type: Computer

Carrier type: Online resource

Note: This edition also issued in print: 2022

Explore this on The British Library website

Download

More options

My merge list

There are 2 merge lists in your space.

Currently selected list:

No destination selected

Merging 2 publications including "History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux"

History, scripture, and authority in the Carolingian empire (Volume in English) p1331781085543836


History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux (Risorsa online in English) p1331781085570417

View instructions

Choose destination

Users can also opt to remove the entity from the Merge list in two different ways:

- From the Merge list itself, by selecting the appropriate icon represented by the trash can symbol.



The screenshot shows the Share Family interface. The top navigation bar includes 'Dashboard' (24 unread notifications), 'Explore' (History, scripture, and authority in the...), 'Simple search' (barry), 'Advanced search' (Title begins with history), 'Editor', and 'Options'. Below the navigation bar, a breadcrumb trail shows 'Ward...' > 'History, scripture, and authority in t...' > 'History, scripture, and authority in...'. A yellow banner states 'Entity is locked for editing. You added it to a merge list.' The main content area displays a publication titled 'History, scripture, and authority in the Frechulf of Lisieux' by Oxford University Press, published in 2022. The publication statement is 'Oxford : Published for The British Academy by Oxford University Press, 2022'. The BNB is GBC273264, NBN is GBC273264, Media type is Computer, Carrier type is Online resource, and a note states 'This edition also issued in print: 2022'. At the bottom, there are buttons for 'Explore this on The British Library website', 'Download', and 'More options'. A modal titled 'My merge list' is open, showing 'There are 2 merge lists in your space.' and 'Currently selected list:'. The list contains two items: 'No destination selected' (Merging 2 publications including 'History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux') and 'History, scripture, and authority in the Carolingian empire (Volume in Inglese) p1331781085543836'. The second item has a trash can icon circled in red, indicating the option to remove it from the merge list. The modal also includes 'View instructions' and 'Choose destination' buttons.

- From the **More options** menu associated with the entity, users can select the **Remove from Merge list** option.

Dashboard
24 unread notifications

Explore
History, scripture, and
authority in the Carolingian...

Simple search
barry

Advanced search
Title begins with history

Editor

Publication ⓘ

History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux

Online resource. Published in English in 2022 in Oxford by Oxford University Press.

Publication statement
Oxford : Published for The British Academy by Oxford University Press, 2022

BNB: GBC273264
NBN: GBC273264
Media type: Computer
Carrier type: Online resource
Note: This edition also issued in print: 2022

Explore this on The British Library website ↗
Download ▾
More options ▾

Editor options

Remove from merge list:

Copy URI for this page
https://uat.natbib-lod.org/publications/1331781085570417
Copy

Related agents

Filter agents...
Type

After selecting two or more entities into the Merge list, select **Choose destination**.

Dashboard
24 unread notifications

Explore
History, scripture, and
authority in the...

Simple search
barry

Advanced search
Title begins with history

Editor

Options ▾ → 2

Publication ⓘ

History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux

Online resource. Published in English in 2022 in Oxford by Oxford University Press

Publication statement
Oxford : Published for The British Academy by Oxford University Press, 2022

BNB: GBC273264
NBN: GBC273264
Media type: Computer
Carrier type: Online resource
Note: This edition also issued in print: 2022

Explore this on The British Library website ↗
Download ▾
More options ▾

Related agents

My merge list

There are 2 merge lists in your space.

Currently selected list:

No destination selected ▾


Merging 2 publications including
"History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux"

History, scripture, and authority in the Carolingian empire (Volume in Inglese)
p1331781085543836

History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux (Risorsa online in Inglese)
p1331781085570417

View instructions
Choose destination >


The user is redirected to the internal Editor page, where the two entities are displayed in a more detailed manner for comparison.



The screenshot shows the 'Editor' tab in the National Bibliographies interface. The header includes navigation links: National Bibliographies, Dashboard (24 unread notifications), Explore (History, scripture, and authority in the Carolingian...), Simple search (barry), Advanced search (Title begins with history), and Editor (Merging 2 publications including "History, scriptur..."). The main content area is titled 'Choose destination' and displays two entities for comparison. The first entity is 'History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux (Online resource in English)' and the second is 'History, scripture, and authority in the Carolingian empire (Volume in English)'. Both entities show detailed metadata including Contributor rel., Item rel., Notes, ISBN/ISSN, Identifier, Form, Contributors (Oxford University Press, Ward, Graeme), BNB, and Publication statement.


Users must specify a *destination*, indicating the entity that should be retained.

To do so, flag the relevant entity.




This screenshot is similar to the previous one, but the first entity, 'History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux (Online resource in English)', is now selected. A red circle highlights the selection radio button next to its title. The 'Next' and 'Close' buttons are visible at the bottom right of the interface.

To proceed to the next step, select the **Next** button located at the bottom of the page.




The system opens a screen divided into two parts:

- On the *left* side, the entity to be removed from the Entity Knowledge Base is displayed. It will be merged with the one that will be retained.
- On the *right* side, the entity to be retained is displayed.




Additionally, there is the **Filters** section on the left side of the screen.




The screenshot shows the 'National Bibliographies' interface. On the left, the 'Filters' menu is open, showing a list of attributes with checkboxes. The 'URI' checkbox is checked, and the 'Main title' checkbox is unchecked. The 'Source entities' section shows a list of entities with their attributes. The 'Editor' section shows a table of title statements.

From this menu, which can be kept closed or open, the user can choose which attributes to display in the entities selected for the merge action by selecting each attribute using the appropriate checkbox




The screenshot shows the 'National Bibliographies' interface. On the left, the 'Filters' menu is open, showing a list of attributes with checkboxes. The 'URI' checkbox is checked, and the 'Main title' checkbox is unchecked. The 'Source entities' section shows a list of entities with their attributes. The 'Editor' section shows a table of title statements.


To preserve properties from the entity on the left (the one to be removed) and transfer them to the entity on the right (the one to be retained), users can select the arrow symbol next to each property of the entity on the left. This action ensures that important properties are not lost during the merging process.




The property is moved and added to the entity positioned on the right. These newly added properties are distinguishable from the original properties of the right-side entity by their **color**, as the added properties are highlighted in **green**.




For some properties, the user doesn't need to manually move them: they're automatically copied to the destination entity. These properties are also highlighted in green by the system, but they have an icon with the letter A "Copied Automatically" on the right.



In contrast, the properties that were already present in the right-side entity are marked with the letter **D** (destination).



Users can then remove the transferred properties by selecting the reverse arrow. This action can be initiated from either the entity positioned on the right or the entity positioned on the left.




The screenshot shows the 'Editor' page for merging a publication into 'History, scripture, and authority in the Carolingian empire'. The left sidebar lists 'Source entities (1 instance)' with various properties like Main title, Media type, NBN, Issuance, Encoding level, and Description conventions. The right pane shows the 'Merging 1 publication into' details. A red box highlights the 'Remove from destination' button next to the 'GBC17992' NBN property in the Source entities list.

ATTENTION: this action can only be performed for those properties manually moved by the user, not for those automatically copied to the destination entity by the system.


Additionally, users can cancel the ongoing merge action by selecting one of the following options:

- **Go back**, this returns users to the previous Editor page, where they can modify the destination of the merging action. The Go back button is located at the bottom left of the screen.




This screenshot shows the same Editor page as the previous one, but with the 'Go back' button highlighted in a red circle at the bottom left of the interface. The 'Source entities' list on the left is now populated with different properties like StDuBDS, Responsibility statement, Projected publication date, Extent, Record status, Description creation date, and Publication provision activity.

- **Close**, allows to temporarily close the merge action and resume it later.




After selecting the Close button, the system automatically redirects to the main editor page.

The Merge list remains valid and the user can resume the merge action at any time by selecting the Merge list icon and selecting the option **View merge in Editor**.




- **Cancel merge list** is the option for canceling the Merge list. The "Cancel merge list" button is located at the bottom right of the screen.




The screenshot shows the National Bibliographies Editor interface. The top navigation bar includes links for Dashboard, Explore, Simple search, Advanced search, and Editor. The main content area is divided into two panels. The left panel, titled 'Source entities (1 instance)', lists various metadata fields such as 'Responsibility statement', 'Projected publication date', 'Extent', 'Record status', 'Description creation date', 'Publication provision activity', and 'Series statement'. The right panel, titled 'History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux" (2022 edition in English)', displays a table of IDs (Record control number, ISBN, NBN) and other information (Issuance). At the bottom right of the interface, a red box highlights the 'Cancel merge list' button, along with 'Select a reviewer' and 'Close' buttons.

After selecting the **Cancel merge list** button, the system asks for confirmation of the Merge list deletion.




The screenshot shows the National Bibliographies Editor interface with a confirmation dialog box displayed in the center. The dialog box is titled 'Please confirm this action' and contains the text: 'Are you sure you want to cancel this merge list? The list will be deleted and your changes gone.' Below the text are two buttons: 'Close' and 'Cancel merge list'. The background interface shows the same metadata fields as the previous screenshot, but they are dimmed.

Confirmation results in the deletion of the Merge list, which is confirmed by a message displayed on the page. Additionally, previously available options are disabled.



This merge list has been cancelled
Created by you on Aug 6, 2026, 3:48 PM. Last updated on Aug 6, 2026, 4:13 PM.

Entities are removed from the Merge list, while the Merge list is not removed despite having no associated entities.



This merge list has been cancelled
Created by you on Aug 6, 2026, 3:48 PM. Last updated on Aug 6, 2026, 4:13 PM.

After the deletion of the Merge list, the entities that were previously locked due to the merging action will be unlocked, and you can freely modify or perform actions on them as before.

Publication

History, scripture, and authority in the Carolingian empire

Volume. Published in English in 2022 in Oxford by Oxford University Press.

Publication statement

Oxford : Oxford University Press, 2022

BNB: GBC17992

NBN: GBC17992

Media type: Unmediated

Carrier type: Volume

Explore this on The British Library website

Download

More options

Related agents

Filter agents...

Q

Type

2 results

☐	No.	Name	Type	Start year	End year	Location	Relationship	
☐	1	Oxford University Press	Organization			Oxford (England)	publisher	

To advance to the next step and complete the first part of the merging action flow, click on **Select a reviewer**. This button is positioned at the bottom left corner of the screen.

National Bibliographies
Dashboard
24 unread notifications

Explore
History, scripture, and authority in the Carolingian...

Simple search
barry

Advanced search
Title begins with history

Editor
Merging 1 publication into "History, scripture, and...

Options > > 2 >

Source entities (1 instance)

StDuBDS

English (ENG)

1 pr.

Responsibility statement

Graeme Ward

English (ENG)

1 pr.

Projected publication date

202201

1 pr.

Extent

xvi, 255 pages

English (ENG)

1 pr.

Record status

Changed

English (ENG)

1 pr.

Description creation date

211110

1 pr.

Publication provision activity

Oxford : Oxford University Press, 2022 (https://uat.natbib-tod.org/provisionActivities/1007781080830270)

1 pr.

Series statement

note

Description used on online resource; title from home page (viewed on April 13, 2022)

English (ENG)

1 pr.

IDs

Record control number

BNB-020565569

1 pr.

ISBN

9780191965111

1 pr.

9780197267288

1 pr.

9780197267288

1 pr.

NBN

GBC17992

1 pr.

GBC273264

1 pr.

Other

Issuance

Monograph

English (ENG)

1 pr.

Monograph


English (ENG)

1 pr.

Go back
Cancel merge list
Select a reviewer
Close

The system presents a screen where you can search for the user you wish to assign the merging review to before final confirmation.

You can conduct the search using either the user's name or email address.



Please select a reviewer for this merge request [X]


Search for a reviewer by name or email address

sere [Q]

Cericola, Serena (scericola.adv@atcult.it) - NLN

Close

After selecting the user, click on **Close** to exit the screen.



Please select a reviewer for this merge request [X]


Your selection:

Cericola, Serena (scericola.adv@atcult.it) - NLN [X]

Close

The user is redirected to the previous screen where they can:


- *change the reviewer* by selecting the button located at the bottom right of the screen with the reviewer's name.



The screenshot shows the Share Family interface. On the left is a sidebar with a list of publications. The main panel displays details for a specific publication: "History, scripture, and authority in the Carolingian empire" (2022 edition in English). The details include a URI, title statements (Title, Main title, Responsibility statement), and publication attributes (Publication provision activity). At the bottom, there is a blue bar with four buttons: "Cancel merge list", "Reviewer: Cericola, Serena" (highlighted with a red box), "Submit merge request", and "Close".

This action will reopen the menu for searching for a new reviewer.

To proceed with the merge action, select the **Submit merge request** button located at the bottom right of the screen.



“History, scripture, and authority in the Carolingian empire” (2022 edition in English)

Basic info

URI: <https://uat.natbib-lod.org/instances/1331781085543836>

Title statements


Title	Statement	Language	Version	Actions
History, scripture, and authority in the Carolingian empire	1 pr.	English (ENG)	1 pr.	[D]
Main title	History, scripture, and authority in the Carolingian empire	English (ENG)	1 pr.	←
Responsibility statement	Graeme Ward	English (ENG)	1 pr.	←

Publication attributes

Publication provision activity: Oxford : Oxford University Press, 2022

Cancel merge list | Reviewer: Cericola, Serena | **Submit merge request** | Close

The submission request must then be confirmed on the next screen by selecting the **Confirm** button.



Please confirm this action

Are you sure you want to submit this merge request? The review will be assigned to Cericola, Serena.

Close | **Submit merge request**

The submission to the reviewer is notified both at the bottom of the screen...

Filters

Source entities (1 instance)

Title		
History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux		1 pr. →
Year of publication		
2022		1 pr. [A]
ISBN		
9780191965111		1 pr. →
9780197267288		1 pr. ←
Record control number		
BNB-020565569		1 pr. →
Note		
This edition also issued in English (ENG)		1 pr. →

Pending review. Reviewer: Serena Cericola.

Created by you on Aug 6, 2026, 3:48 PM. Last updated on Aug 6, 2026, 5:12 PM.

"History, scripture, and authority in the Carolingian empire" (2022)

Basic info

URI https://uat.natbib-lod.org/instances/13

Title statements

Title	History, scripture, and authority in the Carolingian empire
Main title	History, scripture, and authority in the Carolingian empire
Responsibility statement	Graeme Ward English (EN)


Publication attributes

Publication provision activity	Oxford : Oxford University Press (https://uat.natbib-lod.org/)
--------------------------------	--

Cancel merge list

Reviewer: Cericola, Serena


...and within the Merge list itself.




The subsequent steps in the process are then handled to the reviewer, as explained in paragraph [6.2 The role of the reviewer](#).

6.3.B. Reviewer actions

The user designated as the reviewer receives a notification in their Dashboard informing them of their role in reviewing a potential merging action. The Dashboard displays the number of unread notifications.



Select the **Dashboard** to view them.



The system provides a detailed notification specifying the type of action requested from the user. To handle the merging request, the reviewer selects the title of the entity displayed.

Upon selection, the reviewer is presented with a screen comparing the two entities involved in the merging action. The layout mirrors that seen previously, with the entity to be removed displayed on the left and the entity to be retained on the right.

Filters

Source entities (1 instance)

URI

https://uat.natbib-lod.org/instances/1331781085570417

Title

History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux

Year of publication

2022

ISBN

9780191965111

9780197267288

Basic info

URI

https://uat.natbib-lod.org/instances/1331781085543836

Title statements

Title

History, scripture, and authority in the Carolingian empire

Main title

History, scripture, and authority in the Carolingian empire

Pending review. Reviewer: You.

Created by Alice Madsen on Aug 6, 2026, 3:48 PM. Last updated on Aug 6, 2026, 5:12 PM.

Rejection comment:

Reject merge

Approve merge

Close

The reviewer can:

- 1) **reject the review proposal** by entering a reason in the **Rejection comment** field and then selecting the **Reject merge** button. The rejection button remains inactive until a comment is entered in the designated field.

Filters

Source entities (1 instance)

URI

https://uat.natbib-lod.org/instances/1331781085570417

Title

History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux

Year of publication

2022

ISBN

9780191965111

9780197267288

Record control number

Basic info

URI

https://uat.natbib-lod.org/instances/1331781085543836

Title statements

Title

History, scripture, and authority in the Carolingian empire

Main title

History, scripture, and authority in the Carolingian empire

Responsibility statement

Graeme Ward

Publication attributes

Pending review. Reviewer: You.

Created by Alice Madsen on Aug 6, 2026, 3:48 PM. Last updated on Aug 6, 2026, 5:12 PM.

Rejection comment: I don't agree with your merge request

Reject merge

Approve merge

Close

The rejection of the action is notified through a message that appears on the bottom left of the screen.

<https://share-family.org>
info@share-family.org
<https://wiki.share-family.org>

188

Filters

Source entities (1 instance)

"History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux" (2022 edition i...

URI

https://uat.natbib-lod.org/instances/1331781085570417

Title

History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux

1 pr.

Year of publication

2022

1 pr.

ISBN

9780191965111

1 pr.

9780197267288

1 pr.

"History, scripture, and authority in the Carolingian empire" (2022 edition in English)

Basic info

URI

https://uat.natbib-lod.org/instances/1331781085543836

Title statements

Title

History, scripture, and authority in the Carolingian empire

1 pr.

Main title

History, scripture, and authority in the Carolingian empire

1 pr.

Responsibility statement

Graeme Ward

English (ENG)

1 pr.

Publication attributes

Merge rejected with comment "I don't agree with your merge request". Reviewer: You.

Created by Alice Madsen on Aug 6, 2026, 3:48 PM. Last updated on Aug 6, 2026, 5:21 PM.

Close

Additionally, the user who proposed the merging action is notified within the Dashboard that the action has not been approved by the reviewer.

National Bibliographies

Dashboard

25 unread notifications

Explore

Simple search

Advanced search

Editor

Options

2

Notifications

25 unread

Today (1)

A1

Serena Cericola rejected your merge request

Request: Merging 1 publication into "History, scripture, and authority in the Carolingian empire"

Comment from reviewer: I don't agree with your merge request

Date and time: Aug 6, 2026, 5:21 PM

Request ID: 1786024101689

More than month ago (1)

A2


You assigned a review of a merge request to yourself

Request: A preview of the request is not available.

Date and time: Apr 10, 2026, 11:41 AM

Request ID: 1771019361642

As a result, the merging action is effectively suspended. The user can then choose to resubmit the review request to the same or another reviewer, or cancel the Merge list.



Source entities (1 instance)

URI: <https://uat.natbib-lod.org/instances/1331781085570417>

Title: History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux

Year of publication: 2022

ISBN: 9780191965111, 9780197267288

Basic info: URI: <https://uat.natbib-lod.org/instances/1331781085543836>

Title statements: Title: History, scripture, and authority in the Carolingian empire; Main title: History, scripture, and authority in the Carolingian empire


Merge rejected with comment "I don't agree with your merge request". Reviewer: Serena Cericola.

Created by you on Aug 6, 2026, 3:48 PM. Last updated on Aug 6, 2026, 5:21 PM.

Buttons: Cancel merge list, Reviewer: Serena Cericola, Resubmit merge request, Close

2) Approve the review proposal

To approve the review proposal, the reviewer selects the **Approve merge** button. The system then confirms the merge with a message displayed on the bottom left of the screen.



Source entities (1 instance)

URI: <https://uat.natbib-lod.org/instances/1331781085570417>

Title: History, scripture, and authority in the Carolingian empire : Frechulf of Lisieux

Year of publication: 2022

ISBN: 9780191965111, 9780197267288

Basic info: URI: <https://uat.natbib-lod.org/instances/1331781085543836>

Title statements: Title: History, scripture, and authority in the Carolingian empire; Main title: History, scripture, and authority in the Carolingian empire

Merge approved on Aug 6, 2026, 5:24 PM. Reviewer: You.


Created by Alice Madsen on Aug 6, 2026, 3:48 PM. Last updated on Aug 6, 2026, 5:24 PM.

Close


The removed entity is invalidated, rendering it invisible in the portal except for advanced-level users accessing JCricket. It becomes unmodifiable, with the invalidated entity status indicated by an appropriate message and specific graphical symbols.

The graphical solutions adopted for notifying the entity status are:

- a **banner** displayed in the entity starting from Editor




- a specific **alert message** displayed starting from a list of results



ATTENTION: after invalidation, the entity is no longer displayed in a dedicated detail page on the portal but can only be opened and viewed in the Editor.

The acceptance of the action by the reviewer is also conveyed to the user who proposed the merging action through a specific notification displayed in the Dashboard.



The screenshot shows the 'Dashboard' section of the Share Family interface. The top navigation bar includes 'National Bibliographies', 'Dashboard' (with '25 unread notifications'), 'Explore', 'Simple search', 'Advanced search', and 'Editor'. The 'Notifications' section is active, showing a list of notifications for 'Today (2)'. The first notification, labeled 'A1', is 'Serena Cericola approved your merge request'. This notification is highlighted with a red box. It details a request to merge a publication into 'History, scripture, and authority in the Carolingian empire' by Alice Madsen, dated Aug 6, 2026, 5:24 PM, with request ID 1786024101689. The second notification, labeled 'A2', is 'Serena Cericola rejected your merge request', dated Aug 6, 2026, 5:21 PM, with the same request ID. It includes a comment from the reviewer: 'I don't agree with your merge request'.



Function 7: Split

This feature is currently unavailable.

Appendix 1: Attribute list

The list is currently being finalized. Following some refactoring work on the CKB, there will be substantial changes in terms of: number of attributes; type of attributes (e.g., transforming string-type attributes into controlled vocabulary-type attributes).

ENTITY	ATTRIBUTE	VALUE	TYPE
Agent (Person)	Agent type		controlled vocabulary
	Name		string
	Birth year		string
	Death year		string
	Birth place		controlled vocabulary
	Death place		controlled vocabulary
	Name qualifier		string
	Alternative names		string
	Occupation		controlled vocabulary
	Identifier		string
	Fuller name		string
	Gender		string
	Field of activity		string
	First name		string
	Last name		string
	Notes		string
	Local IDs		string
Agent (Family)	Agent type		controlled vocabulary
	Name		string
	Start year		string
	End year		string
	Alternative names		string
	Identifier		string
	Local IDs		string
Agent (Organization)	Agent type		controlled vocabulary
	Name		string
	Alternative names		string
	Identifier		string

	Location		controlled vocabulary
	Founding year		string
	Dissolution year		string
	Field of activity		string
	Numeration		string
	Local IDs		string
Agent (Meeting)	Agent type		
	Name		
	Alternative names		
	Identifier		
	Year		
	Location		
	Numeration		
	Local IDs		
svde:Opus	PREFERRED TITLE		
	MAIN TITLE		
	PART NUMBER		
	PART NAME		
	SVDE URI		
	VARIANT TITLE/S		
	ABBREVIATED TITLE		
	COLLECTIVE TITLE		
	KEY TITLE		
	MUSIC INSTRUMENT		
	MUSIC ENSEMBLE		
	MUSIC VOICE		
	PORTION VARIANT TITLE		
	FORMER VARIANT TITLE		
	RUNNING VARIANT TITLE		
	CAPTION VARIANT TITLE		
	ADDED PAGE VARIANT TITLE		
	DISTINCTIVE VARIANT TITLE		

	END CREATION DATE		
	PARALLEL TITLE		
	YEAR		
	GENRE		
	INTENDED AUDIENCE		
	TARGET AUDIENCE		
	INTENDED AUDIENCE NOTE		
	IDENTIFIER/S		
	ISSN-L		
	EIDR		
	GEOGRAPHIC COVERAGE		
	GEOGRAPHIC COVERAGE NOTE		
	TEMPORAL COVERAGE		
	LEGAL DATE		
	MUSIC MEDIUM		
	MUSIC KEY		
	CARTOGRAPHIC ATTRIBUTES		
	DISSERTATION		
	CREATOR CHARACTERISTICS		
	ISSUANCE		
	HIERARCHICAL PLACE		
	SERIES ANALYSIS		
	SERIES PROVIDER		
	SERIES NUMBERING		
	SERIES NUMBERING PECULIARITIES		
	SERIES CLASSIFICATION		
	SERIES TRACING		
	SERIAL SEQUENTIAL DESIGNATION		
	PRECEDED BY		

	SUCCEEDED BY		
	WORKS		
	ordinalNumber		
	opusType		
	review		
	volume		
	series		
	article		
	chapter		
	Provenance		
	hasSeries		
	hasSubseries		
	hasExpression		
	supplement		
	supplementTo		
	partOf		
	hasPart		
	continues		
	continuesInPart		
	mergerOf		
	absorbed		
	separatedFrom		
	continuedBy		
	continuedInPartBy		
	absorbedBy		
	splitInto		
	mergedToForm		
	relatedTo		
	absorbedInPartBy		
svde:Work	VERSION		
	SVDE URI		

	CONTENT		
	LANGUAGE		
	ORIGIN DATE		
	COLOR CONTENT		
	MUSIC FORMAT		
	SUPPLEMENTARY CONTENT		
	NOTATION		
	DURATION		
	CAPTURE		
	CAPTURE DATE TIME PLACE MARC VALUE		
	CAPTURE DATE TIME PLACE		
	END CREATION DATE		
	SCALE		
	SCALE NOTE		
	GEOGRAPHIC COVERAGE		
	CARTOGRAPHIC ATTRIBUTES		
	ARRANGEMENT		
	ARRANGED STATEMENT MUSIC		
	LINKING ENTRY NOTE		
	CREDITS		
	PLACE OF ORIGIN		
	LANGUAGE NOTE		
	AWARDS		
	SUMMARY		
	TABLE OF CONTENT		
	CONTENT ACCESSIBILITY		
	MOVING IMAGE TECHNIQUE		
	SERIAL PUB TYPE		

	GOVERNMENT PUB TYPE		
	RELIEF		
	NOTE		
	ILLUSTRATIVE CONTENT		
	CATEGORY OF MATERIAL		
	ASPECT RATIO		
	SOUND CONTENT		
	PROJECTION		
	GENRE		
	TRANSLATION OF		
	TRANSLATION		
	OTHER EDITION		
	HAS INSTANCE		
	ISSUED WITH		
	DATA SOURCE		
	LOC CALL NUMBER		
	LOC COPY STATEMENT		
	GEOGRAPHIC CLASSIFICATION		
	NML CALL NUMBER		
	NML COPY STATEMENT		
	LAC CLASSIFICATION		
	NAL CALL NUMBER		
	NAL COPY STATEMENT		
	GOVERNMENT DOCUMENT CLASSIFICATION NUMBER		
	UDC NUMBER		
	DDC NUMBER		
	ADDITIONAL DDC NUMBER		
	OTHER CLASSIFICATION NUMBER		

	SUBJECTS		
svde:Instance	MAIN TITLE of the Instance		
	REMINDER OF TITLE		
	TITLE		
	SVDE URI		
	STATEMENT OF RESPONSIBILITY		
	NAME OF PUBLISHER		
	PLACE (publication, distribution, manufacture, etc.)		
	DATE (publication, production, copyright)		
	MEDIA TYPE		
	CARRIER TYPE		
	FREQUENCY		
	NOTE		
	IDENTIFIER/S		
	LOCAL_ID		
	ISBN		
	ISMN		
	EAN		
	LCCN		
	NBN		
	COPYRIGHT NUMBER		
	ISRC		
	UPC		
	SICI		
	ISSN		
	URN		
	STOCK NUMBER		
	ISWC		
	ISTC		
	ISO		
	ISNI		

	ISAN		
	HDL		
	GTIN14 NUMBER		
	DOI		
	ANSI		
	BIBLIOGRAPHIC LEVEL		
	ENCODING LEVEL		
	DESCRIPTION CONVENTIONS		
	DATE TIME LAST TRANSACTION		
	INVALID LCCN		
	NBACN		
	OVERSEAS ACQUISITION NUMBER		
	FINGERPRINT		
	STRN		
	AUDIO ISSUE NUMBER		
	MATRIX NUMBER		
	MUSIC PLATE NUMBER		
	MUSIC PUBLISHER NUMBER		
	VIDEO RECORDING NUMBER		
	PUBLISHER NUMBER		
	MUSIC DISTRIBUTOR NUMBER		
	CODEN		
	POSTAL REGISTRATION		
	SYSTEM CONTROL NUMBER		
	STUDY NUMBER		
	ACQUISITION SOURCE		
	RECORD CONTENT LICENSOR		
	CATALOGING SOURCE		

	AUTHENTICATION CODE		
	GPO ITEM NUMBER		
	REPORT NUMBER		
	EDITION STATEMENT		
	PROJECTED PUBLICATION DATE		
	EXTENT		
	DIMENSION		
	DURATION		
	BASE MATERIAL		
	APPLIED MATERIAL		
	AUCTION EXHIBITION		
	PRODUCTION METHOD		
	MOUNT		
	REDUCTION RATION		
	SYSTEM REQUIREMENT		
	GENERATION		
	LAYOUT		
	BOOK FORMAT		
	FONT SIZE		
	POLARITY		
	MUSIC FORMAT		
	CREDITS		
	PREFERRED CITATION		
	CONTENT ACCESSIBILITY		
	RECORDING MEDIUM		
	PRESENTATION FORMAT		
	PLAYBACK CHANNEL		
	PLAYING SPEED		
	GROOVE CHARACTERISTIC		
	PLAYBACK CHARACTERISTIC		
	SOUND CHARACTERISTIC		

	TAPE CONFIG		
	VIDEO FORMAT		
	TAPE WIDTH		
	RECORD STATUS		
	CREATION DATE		
	ISSUANCE		
	PROVISION ACTIVITY PUBLICATION		
	PROVISION ACTIVITY PRODUCTION		
	PROVISION ACTIVITY MANUFACTURE		
	PROJECTION CHARACTERISTIC		
	VIDEO CHARACTERISTIC		
	DIGITAL CHARACTERISTIC		
	SERIES STATEMENT		
	ACCESS POLICY		
	USE POLICY		
	EMULSION		
	ACQUISITION TERM		
	FIRST ISSUE		
	LAST ISSUE		
	PUBLICATION TYPE		
	ABBREVIATED TITLE		
	VARIANT TITLE/S		
	SPINE TITLE		
	COVER TITLE		
	PHYSICAL DETAILS NOTE		
	DESCRIPTION SOURCE NOTE		
	ISSUANCE NOTE		
	INDEX NOTE		

	ISSUING BODY NOTE		
	ADDITIONAL PHYSICAL FORM NOTE		
	EXHIBITION NOTE		
	FINDING AID NOTE		
	ADMINISTRATIVE HISTORY NOTE		
	BIOGRAPHICAL NOTE		
	RELATED MATERIAL NOTE		
	FUNDING INFORMATION NOTE		
	ORIGINAL VERSION NOTE		
	REPRODUCTION NOTE		
	REPORT NOTE		
	WITH NOTE		
	NUMBERING NOTE		
	ACCOMPANYING MATERIAL NOTE		
	COMPUTER DATA NOTE		
	INVALID SYSTEM CONTROL NUMBER		
	ALSO ISSUED AS		
	CURRENT PUBLICATION FREQUENCY		
	FORMER PUBLICATION FREQUENCY		
	CREDITS NOTE		
	TRANSLATED VARIANT TITLE		
	METADATA ENTRY CONVENTION		
	FORMER TITLE NOTE		
	DOCUMENTATION NOTE		
	LOCAL NOTE		
	CONTRIBUTORS		



	ITEMS		
	INSTANCES		